



Firebird 1.5 Language Reference Update

Everything new in Firebird SQL since InterBase 6

Paul Vinkenoog et al.

8 December 2010, document version 1.1 — covers Firebird 1.0–1.5.6

Firebird 1.5 Language Reference Update

Everything new in Firebird SQL since InterBase 6

8 December 2010, document version 1.1 — covers Firebird 1.0–1.5.6

Paul Vinkenoog et al.

Table of Contents

1. Introduction	1
Versions covered	1
Authorship	2
2. Reserved words	3
Added in 1.0 but removed in 1.5	3
Added in 1.0 and 1.5	3
To be added in future versions	4
3. Miscellaneous language elements	5
-- (single-line comment)	5
(string concatenator)	5
Overflow checking	5
Shorthand casts	6
CASE construct	7
Simple CASE	7
Searched CASE	8
4. Data types and subtypes	9
BIGINT data type	9
New character sets	10
Character set NONE handling changed	11
New collations	11
5. DDL statements	12
ALTER DOMAIN	12
Rename domain	12
SET DEFAULT to any context variable	12
ALTER TABLE	13
ADD column: Context variables as defaults	13
ALTER COLUMN: POSITION now 1-based	13
FOREIGN KEY without target column references PK	13
UNIQUE constraints now allow NULLs	14
USING INDEX subclause	14
ALTER TRIGGER	15
Multi-action triggers	15
ALTER TRIGGER no longer increments table change count	15
PLAN allowed in trigger code	15
CREATE DATABASE	16
16 Kb page size supported	16
CREATE DOMAIN	16
Context variables as defaults	16
CREATE GENERATOR	16
Maximum number of generators significantly raised	17
CREATE INDEX	17
UNIQUE indices now allow NULLs	17
Maximum number of indices per table increased	17
CREATE TABLE	18
Context variables as column defaults	18
FOREIGN KEY without target column references PK	18
UNIQUE constraints now allow NULLs	19
USING INDEX subclause	19

CREATE TRIGGER	21
Multi-action triggers	21
CREATE TRIGGER no longer increments table change count	21
PLAN allowed in trigger code	22
CREATE VIEW	22
PLAN subclause disallowed	22
CREATE OR ALTER PROCEDURE	22
CREATE OR ALTER TRIGGER	22
DECLARE EXTERNAL FUNCTION	23
BY DESCRIPTOR parameter passing	23
RETURNS PARAMETER <i>n</i>	23
DROP GENERATOR	23
DROP TRIGGER	24
DROP TRIGGER no longer increments table change count	24
RECREATE PROCEDURE	24
RECREATE TABLE	24
RECREATE VIEW	25
6. DML statements	26
EXECUTE PROCEDURE	26
SELECT	27
Aggregate functions: Extended functionality	27
Ambiguous JOIN statements rejected	29
FIRST and SKIP	30
GROUP BY <i>UDF</i>	31
GROUP BY internal function, column position, and CASE	32
HAVING: Stricter rules	33
ORDER BY: Expressions and NULLs placement	33
ORDER BY: Stricter rules with aggregate statements	34
WITH LOCK	34
7. Transaction control statements	36
RELEASE SAVEPOINT	36
ROLLBACK TO SAVEPOINT	36
SAVEPOINT	37
Internal savepoints	38
Savepoints and PSQL	38
8. PSQL statements	39
BEGIN ... END blocks may be empty	39
BREAK	39
DECLARE [VARIABLE] with initialization	40
EXCEPTION	40
Rethrowing a caught exception	41
Providing a custom error message	41
EXECUTE PROCEDURE	41
EXECUTE STATEMENT	41
No data returned	42
One row of data returned	42
Any number of data rows returned	43
Caveats with EXECUTE STATEMENT	43
EXIT	44
FOR EXECUTE STATEMENT ... DO	44
FOR SELECT ... INTO ... DO	44
AS CURSOR clause	45

LEAVE	46
PLAN allowed in trigger code	47
9. Context variables	48
CURRENT_CONNECTION	48
CURRENT_ROLE	48
CURRENT_TRANSACTION	49
CURRENT_USER	49
DELETING	49
GDSCODE	50
INSERTING	50
ROW_COUNT	51
SQLCODE	51
UPDATING	52
10. Internal functions	53
COALESCE()	53
EXTRACT()	53
NULLIF()	54
SUBSTRING()	55
11. External functions (UDFs)	56
addDay	56
addHour	56
addMilliSecond	57
addMinute	57
addMonth	58
addSecond	58
addWeek	59
addYear	59
ascii_char	59
dow	60
dpower	60
getExactTimestamp	61
i64round	61
i64truncate	61
log	62
lpad	62
ltrim	63
*nullif	63
*nvl	64
right	65
round, i64round	65
rpad	67
rtrim	67
sdow	68
sright	68
string2blob	69
substr	69
substrlen	70
truncate, i64truncate	71
Appendix A: Notes	73
Character set NONE data accepted “as is”	73
Understanding the WITH LOCK clause	74
Syntax and behaviour	74

How the engine deals with WITH LOCK	75
The optional “OF <column-names>” sub-clause	76
Caveats using WITH LOCK	76
Examples using explicit locking	76
A note on CSTRING parameters	77
Appendix B: Document History	78
Appendix C: License notice	80

List of Tables

4.1. Character sets new in Firebird	10
4.2. Collations new in Firebird	11
5.1. Maximum indices per table	18
10.1. Ranges for EXTRACT results	54
A.1. How TPB settings affect explicit locking	75

Introduction

This guide documents the **changes** made in Firebird 1.0 and 1.5 SQL since the fork from the open-sourced InterBase 6.0 codebase. It covers the following areas:

- Reserved words
- Data types and subtypes
- DDL statements (Data Definition Language)
- DML statements (Data Manipulation Language)
- PSQL statements (Procedural SQL, used in stored procedures and triggers)
- Context variables
- Internal functions
- UDFs (User Defined Functions, also known as external functions)

To have a complete Firebird 1.0 and 1.5 SQL reference, you need:

- The InterBase 6.0 beta SQL Reference (`LangRef.pdf` and/or `SQLRef.html`)
- This document

Topics **not** discussed in this document include:

- ODS versions
- Bug listings
- Installation and configuration
- Upgrade, migration and compatibility
- Server architectures
- API functions
- Connection protocols
- Tools and utilities

Consult the Release Notes for information on these subjects. You can find the Release Notes and other documentation via the Firebird Documentation Index at <http://www.firebirdsql.org/index.php?op=doc>.

Versions covered

This document covers all Firebird versions up to and including 1.5.6.

Authorship

Most of this document was written by the main author. The remainder (10–14%) was lifted from various Firebird Release Notes editions, which in turn contain material from preceding sources like the Whatsnew documents. Authors and editors of the included material are:

- J. Beesley
- Helen Borrie
- Arno Brinkman
- Frank Ingermann
- Alex Peshkov
- Nickolay Samofatov
- Dmitry Yemanov

Reserved words

Reserved words are part of the Firebird SQL language. They cannot be used as identifiers, except when enclosed in double quotes. However, you should avoid this unless you really have no other option.

Added in 1.0 but removed in 1.5

The following reserved words were added in Firebird 1.0 but removed again in 1.5:

BREAK
DESCRIPTOR
FIRST
SKIP
SUBSTRING

The following non-reserved words were earmarked in Firebird 1.0 as “to be avoided because of future reservation”, but no longer so in 1.5:

COALESCE
IIF
NULLIF

(of these three, COALESCE and NULLIF are non-reserved keywords in 1.5)

Added in 1.0 and 1.5

The following reserved words were added in Firebird 1.0 and are still reserved in 1.5:

CURRENT_ROLE
CURRENT_USER
RECREATE

The following reserved words were added in Firebird 1.5:

BIGINT
CASE
CURRENT_CONNECTION
CURRENT_TRANSACTION
RELEASE
ROW_COUNT
SAVEPOINT

The following words are not reserved, but recognized as keywords by Firebird 1.5 if used in the proper context:

COALESCE
DELETING
INSERTING
LAST
LEAVE
LOCK
NULLIF
NULLS
STATEMENT
UPDATING
USING

To be added in future versions

The following words are not reserved in Firebird 1.0 or 1.5, but should be avoided as identifiers because they will likely be reserved in future versions:

ABS
BOOLEAN
BOTH
CHAR_LENGTH
CHARACTER_LENGTH
FALSE
LEADING
OCTET_LENGTH
TRAILING
TRIM
TRUE
UNKNOWN

Chapter 3

Miscellaneous language elements

-- (single-line comment)

Available in: DSQL, PSQL

Added in: 1.0

Changed in: 1.5

Description: A line starting with “--” (two dashes) is a comment and will be ignored. This also makes it easy to quickly comment out a line of SQL.

In Firebird 1.5 and up, the “--” can be placed anywhere on the line, e.g. after an SQL statement. Everything from the double dash to the end of the line will be ignored.

Example:

```
-- a table to store our valued customers in:
create table Customers (
  name varchar(32),
  added_by varchar(24),
  custno varchar(8),
  purchases integer      -- number of purchases
)
```

Notice that the second comment is only allowed in Firebird 1.5 and up.

|| (string concatenator)

Available in: DSQL, ESQL, PSQL

Overflow checking

Changed in: 1.0

Description: If the sum of the *declared* string lengths in a concatenation exceeded 32767 bytes, InterBase would raise an error without trying to do the actual concatenation – even though the result might very well be within that limit. In Firebird 1.0 and 1.5, the “early error” threshold is raised to 65536. Consequently, concatenations of at most two (VAR)CHARs can no longer result in these premature errors. An error will only be raised if the *actual* outcome exceeds 32767 bytes, or if the sum of the declared lengths exceeds 65535 bytes. The latter is only possible if three or more strings take part in the concatenation.

Examples:

The following statement will raise an error in InterBase, but not in Firebird:

```
select cast('abc' as varchar(30000))
       || cast('def' as varchar(30000))
from rdb$database
```

The following statement will raise an (unnecessary) error in both InterBase and Firebird:

```
select cast('abc' as varchar(30000))
       || cast('def' as varchar(30000))
       || cast('ghi' as varchar(30000))
from rdb$database
```

Note

Firebird 2.0 does away with these premature errors altogether.

Shorthand casts

Available in: DSQL, ESQL, PSQL

Added in: IB

Description: When converting a string literal to a DATE, TIME or TIMESTAMP, Firebird allows the use of a shorthand “C-style” cast. This feature already existed in InterBase 6, but was never properly documented.

Syntax:

```
datatype 'date/timestring'
```

Examples:

```
update People set AgeCat = 'Old'
where BirthDate < date '1-Jan-1943'
```

```
insert into Appointments
(Employee_Id, Client_Id, App_date, App_time)
values
(973, 8804, date 'today' + 2, time '16:00')
```

```
new.lastmod = timestamp 'now';
```

CASE construct

Available in: DSQL, ESQL, PSQL

Added in: 1.5

Description: A CASE construct returns exactly one value from a number of possibilities. There are two syntactic variants:

- The simple CASE, comparable to a Pascal case or a C switch.
- The searched CASE, which works like a series of “if ... else if ... else if” clauses.

Simple CASE

Syntax:

```
CASE <expression>
  WHEN <exp1> THEN result1
  WHEN <exp2> THEN result2
  ...
  [ELSE defaultresult]
END
```

When this variant is used, *<expression>* is compared to *<exp1>*, *<exp2>* etc., until a match is found, upon which the corresponding result is returned. If there is no match and there is an ELSE clause, *defaultresult* is returned. If there is no match and no ELSE clause, NULL is returned.

The match is determined with the “=” operator, so if *<expression>* is NULL, it won't match any of the *<expN>*s, not even those that are NULL.

The results don't have to be literal values: they may also be field or variable names, compound expressions, or NULL literals.

Example:

```
select name,
       age,
       case upper(sex)
         when 'M' then 'Male'
         when 'F' then 'Female'
         else 'Unknown'
       end,
       religion
from people
```

Searched CASE

Syntax:

```
CASE
  WHEN <bool_exp1> THEN result1
  WHEN <bool_exp2> THEN result2
  ...
  [ELSE defaultresult]
END
```

Here, the *<bool_expN>*s are tests that give a ternary boolean result: `true`, `false`, or `NULL`. The first expression evaluating to `TRUE` determines the result. If no expression is `TRUE` and there is an `ELSE` clause, *defaultresult* is returned. If no expression is `TRUE` and there is no `ELSE` clause, `NULL` is returned.

As with the simple `CASE`, the results don't have to be literal values: they may also be field or variable names, compound expressions, or `NULL` literals.

Example:

```
CanVote = case
  when Age >= 18 then 'Yes'
  when Age < 18 then 'No'
  else 'Unsure'
end;
```


Data types and subtypes

BIGINT data type

Added in: 1.5

Description: BIGINT is the SQL99-compliant 64-bit signed integer type. It is available in Dialect 3 only.

BIGINT numbers range from $-2^{63} .. 2^{63}-1$, or -9,223,372,036,854,775,808 .. 9,223,372,036,854,775,807.

Example:

```
create table WholeLottaRecords (  
  id bigint not null primary key,  
  description varchar(32)  
)
```

New character sets

Added in: 1.0, 1.5

The following table lists the character sets added in Firebird.

Table 4.1. Character sets new in Firebird

Name	Bytes/char.	Languages	Added in
DOS737	1	Greek	1.5
DOS775	1	Baltic	1.5
DOS858	1	= DOS850 plus € sign	1.5
DOS862	1	Hebrew	1.5
DOS864	1	Arabic	1.5
DOS866	1	Russian	1.5
DOS869	1	Modern Greek	1.5
ISO8859_2	1	Latin-2, Central European	1.0
ISO8859_3	1	Latin-3, Southern European	1.5
ISO8859_4	1	Latin-4, Northern European	1.5
ISO8859_5	1	Cyrillic	1.5
ISO8859_6	1	Arabic	1.5
ISO8859_7	1	Greek	1.5
ISO8859_8	1	Hebrew	1.5
ISO8859_9	1	Latin-5, Turkish	1.5
ISO8859_13	1	Latin-7, Baltic Rim	1.5
WIN1255	1	Hebrew	1.5
WIN1256	1	Arabic	1.5
WIN1257	1	Baltic	1.5

Character set NONE handling changed

Changed in: 1.5.1

Description: Firebird 1.5.1 has improved the way character set NONE data are moved to and from fields or variables with another character set, resulting in fewer transliteration errors. For more details, see the [Note](#) at the end of the book.

New collations

Added in: 1.0, 1.5, 1.5.1

The following table lists the collations added in Firebird.

Table 4.2. Collations new in Firebird

Character set	Collation	Language	Added in
ISO8859_2	CS_CZ	Czech	1.0
	ISO_HUN	Hungarian	1.5
ISO8859_13	LT_LT	Lithuanian	1.5.1
WIN1250	PXW_HUN	Hungarian	1.0
WIN1251	WIN1251_UA	Ukrainian and Russian	1.5

DDL statements

ALTER DOMAIN

Available in: DSQL, ESQL

Rename domain

Added in: IB

Description: Renaming of a domain is possible with the TO clause. This feature was introduced in InterBase 6, but left out of the *Language Reference*.

Example:

```
alter domain posint to plusint
```

- The TO clause can be combined with other clauses and need not come first in that case.

SET DEFAULT to any context variable

Changed in: IB

Description: Any context variable that is assignment-compatible to the domain's datatype can be used as a default. This was already the case in InterBase 6, but the *Language Reference* only mentioned USER.

Example:

```
alter domain DDate  
  set default current_date
```

ALTER TABLE

Available in: DSQL, ESQL

ADD column: Context variables as defaults

Changed in: IB

Description: Any context variable that is assignment-compatible to the new column's datatype can be used as a default. This was already the case in InterBase 6, but the *Language Reference* only mentioned USER.

Example:

```
alter table MyData
  add MyDay date default current_date
```

ALTER COLUMN: POSITION now 1-based

Changed in: 1.0

Description: When changing a column's position, the engine now interprets the new position as 1-based. This is in accordance with the SQL standard and the InterBase documentation, but in practice InterBase interpreted the position as 0-based.

Syntax:

```
ALTER TABLE tablename ALTER [COLUMN] colname POSITION <newpos>
<newpos> ::= an integer between 1 and the number of columns
```

Example:

```
alter table Stock alter Quantity position 3
```

Note

Don't confuse this with the POSITION in CREATE/ALTER TRIGGER. Trigger positions are and will remain 0-based.

FOREIGN KEY without target column references PK

Changed in: IB

Description: If you create a foreign key without specifying a target column, it will reference the **primary key** of the target table. This was already the case in InterBase 6, but the IB Language Reference wrongly states that in such cases, the engine scans the target table for a column with the same name as the referencing column.

Example:

```
create table eik (  
  a int not null primary key,  
  b int not null unique  
);  
  
create table beuk (  
  b int  
);  
  
alter table beuk  
  add constraint fk_beuk  
  foreign key (b) references eik;  
  
-- beuk.b now references eik.a, not eik.b !
```

UNIQUE constraints now allow NULLS

Changed in: 1.5

Description: In compliance with the SQL-99 standard, NULLS – even multiple – are now allowed in columns with a UNIQUE constraint. For a full discussion, see [CREATE TABLE :: UNIQUE constraints now allow NULLS](#).

USING INDEX subclause

Added in: 1.5

Description: A USING INDEX subclause can be placed at the end of a primary, unique or foreign key definition. Its purpose is to

- provide a user-defined name for the automatically created index that enforces the constraint, and
- optionally define the index to be ascending or descending (the default being ascending).

Syntax:

```
[ADD] [CONSTRAINT constraint-name]  
  <constraint-type> <constraint-definition>  
  [USING [ASC[ENDING] | DESC[ENDING]] INDEX index_name]
```

For a full discussion and examples, see [CREATE TABLE :: USING INDEX subclause](#).

ALTER TRIGGER

Available in: DSQL, ESQL

Multi-action triggers

Added in: 1.5

Description: The ALTER TRIGGER syntax has been extended to support multi-action triggers. For a full discussion of this feature, see [CREATE TRIGGER :: Multi-action triggers](#).

Syntax:

```
ALTER TRIGGER trigger-name
  [ACTIVE | INACTIVE]
  {BEFORE | AFTER} <actions>
  [POSITION number]
  AS
  <trigger_body>

<actions>          ::= <single_action> [OR <single_action> [OR <single_action>]]
<single_action> ::= INSERT | UPDATE | DELETE
```

ALTER TRIGGER no longer increments table change count

Changed in: 1.0

Description: Each time you use CREATE, ALTER or DROP TRIGGER, InterBase increments the metadata change counter of the associated table. Once that counter reaches 255, no more metadata changes are possible on the table (you can still work with the data though). A backup-restore cycle is needed to reset the counter and perform metadata operations again.

While this obligatory cleanup after many metadata changes is in itself a useful feature, it also means that users who regularly use ALTER TRIGGER to deactivate triggers during e.g. bulk import operations are forced to backup and restore much more often than needed.

Since changes to triggers don't imply structural changes to the table itself, Firebird no longer increments the table change counter when CREATE, ALTER or DROP TRIGGER is used. One thing has remained though: once the counter is at 255, you can no longer create, alter or drop triggers for that table.

PLAN allowed in trigger code

Changed in: 1.5

Description: Before Firebird 1.5, a trigger containing a PLAN statement would be rejected by the compiler. Now a valid plan can be included and will be used.

CREATE DATABASE

Available in: DSQL, ESQL

16 Kb page size supported

Changed in: 1.0

Description: The maximum database page size has been raised from 8192 to 16384 bytes.

Syntax:

```
CREATE {DATABASE | SCHEMA}
...
[PAGE_SIZE [=] <size>]
...

<size> ::= 1024 | 2048 | 4096 | 8192 | 16384
```

CREATE DOMAIN

Available in: DSQL, ESQL

Context variables as defaults

Changed in: IB

Description: Any context variable that is assignment-compatible to the new domain's datatype can be used as a default. This was already the case in InterBase 6, but the *Language Reference* only mentioned USER.

Example:

```
create domain DDate as
date
default current_date
not null
```

CREATE GENERATOR

Available in: DSQL, ESQL

Maximum number of generators significantly raised

Changed in: 1.0

Description: InterBase reserved only one database page for generators, limiting the total number to 123 (on 1K pages) – 1019 (on 8K pages). Firebird has done away with that limit; you can now create more than 32,000 generators per database.

CREATE INDEX

Available in: DSQL, ESQL

UNIQUE indices now allow NULLS

Changed in: 1.5

Description: In compliance with the SQL-99 standard, NULLS – even multiple – are now allowed in columns that have a UNIQUE index defined on them. For a full discussion, see [CREATE TABLE :: UNIQUE constraints now allow NULLS](#). As far as NULLS are concerned, the rules for unique indices are exactly the same as those for unique keys.

Maximum number of indices per table increased

Changed in: 1.0.3 and 1.5

Description: The maximum number of 64 indices per table has been removed in Firebird 1.0.3, and reintroduced at the higher level of 256 in Firebird 1.5.

Note

Probably due to an off-by-one error in the code, the effective ceiling is 65 indices in Firebird 1.0 and 1.0.2, and 257 indices in Firebird 1.5.

The number of indices attainable in practice is further limited by the database page size and the number of columns per index, as shown in the table below.

Table 5.1. Maximum indices per table

Page size	Firebird version(s)								
	1.0, 1.0.2			1.0.3			1.5.x		
	1 col	2 cols	3 cols	1 col	2 cols	3 cols	1 col	2 cols	3 cols
1024	62	50	41	62	50	41	62	50	41
2048	65	65	65	126	101	84	126	101	84
4096	65	65	65	254	203	169	254	203	169
8192	65	65	65	510	408	340	257	257	257
16384	65	65	65	1022	818	681	257	257	257

Please be aware that under normal circumstances, even 64 indices is way too many and will drastically reduce mutation speeds. The maximum was raised to accommodate data-warehousing applications and the like, that do lots of bulk operations during which indices are temporarily switched off.

CREATE TABLE

Available in: DSQL, ESQL

Context variables as column defaults

Changed in: IB

Description: Any context variable that is assignment-compatible to the column datatype can be used as a default. This was already the case in InterBase 6, but the *Language Reference* only mentioned USER.

Example:

```
create table MyData (
  id int not null primary key,
  record_created timestamp default current_timestamp,
  ...
)
```

FOREIGN KEY without target column references PK

Changed in: IB

Description: If you create a foreign key without specifying a target column, it will reference the **primary key** of the target table. This was already the case in InterBase 6, but the IB Language Reference wrongly states that in such cases, the engine scans the target table for a column with the same name as the referencing column.

Example:

```
create table eik (  
  a int not null primary key,  
  b int not null unique  
);  
  
create table beuk (  
  b int references eik  
);  
  
-- beuk.b references eik.a, not eik.b !
```

UNIQUE constraints now allow NULLS

Changed in: 1.5

Description: In compliance with the SQL-99 standard, NULLS – even multiple – are now allowed in columns with a UNIQUE constraint. It is therefore possible to define a UNIQUE key on a column that has no NOT NULL constraint.

For UNIQUE keys that span multiple columns, the logic is a little complicated:

- Multiple rows having *all* the UK columns NULL are allowed.
- Multiple rows having a *different subset* of UK columns NULL are allowed.
- Multiple rows having the *same subset* of UK columns NULL and the rest filled with regular values and those regular values *differ* in at least one column, are allowed.
- Multiple rows having the *same subset* of UK columns NULL and the rest filled with regular values and those regular values are the *same* in every column, are forbidden.

One way of summarizing this is as follows: In principle, all NULLS are considered distinct. But if two rows have exactly the same subset of UK columns filled with non-NULL values, the NULL columns are ignored and the non-NULL columns are decisive, just as if they constituted the entire unique key.

USING INDEX subclause

Added in: 1.5

Description: A USING INDEX subclause can be placed at the end of a primary, unique or foreign key definition. Its purpose is to

- provide a user-defined name for the automatically created index that enforces the constraint, and
- optionally define the index to be ascending or descending (the default being ascending).

Without USING INDEX, indices enforcing named constraints are named after the constraint (this is new behaviour in Firebird 1.5) and indices for unnamed constraints get names like RDB\$FOREIGN13 or something equally romantic.

Note

You must always provide a *new* name for the index. It is not possible to use pre-existing indices to enforce constraints.

USING INDEX can be applied at field level, at table level, and (in ALTER TABLE) with ADD CONSTRAINT. It works with named as well as unnamed key constraints. It does *not* work with CHECK constraints, as these don't have their own enforcing index.

Syntax:

```
[CONSTRAINT constraint-name]
  <constraint-type> <constraint-definition>
  [USING [ASC[ENDING] | DESC[ENDING]] INDEX index_name]
```

Examples:

The first example creates a primary key constraint PK_CUST using an index named IX_CUSTNO:

```
create table customers (
  custno int not null constraint pk_cust primary key using index ix_custno,
  ...
```

This, however:

```
create table customers (
  custno int not null primary key using index ix_custno,
  ...
```

...will give you a PK constraint called INTEG_7 or something similar, and an index IX_CUSTNO.

Some more examples:

```
create table people (
  id int not null,
  nickname varchar(12) not null,
  country char(4),
  ..
  ..
  constraint pk_people primary key (id),
  constraint uk_nickname unique (nickname) using index ix_nick
)
```

```
alter table people
  add constraint fk_people_country
  foreign key (country) references countries(code)
  using desc index ix_people_country
```

Important

If you define a descending constraint-enforcing index on a primary or unique key, be sure to make any foreign keys referencing it descending as well.

CREATE TRIGGER

Available in: DSQL, ESQL

Multi-action triggers

Added in: 1.5

Description: Triggers can now be defined to fire upon multiple operations (INSERT and/or UPDATE and/or DELETE). Three new boolean context variables (INSERTING, UPDATING and DELETING) have been added so you can execute code conditionally within the trigger body depending on the type of operation.

Syntax:

```
CREATE TRIGGER trigger-name for table-name
  [ACTIVE | INACTIVE]
  {BEFORE | AFTER} <actions>
  [POSITION number]
  AS
  <trigger_body>

<actions>          ::= <single_action> [OR <single_action> [OR <single_action>]]
<single_action> ::= INSERT | UPDATE | DELETE
```

Example:

```
create trigger biu_parts for parts
  before insert or update
as
begin
  /* conditional code when inserting: */
  if (inserting and new.id is null)
    then new.id = gen_id(gen_partrec_id, 1);

  /* common code: */
  new.partname_upper = upper(new.partname);
end
```

Note

In multi-action triggers, both context variables OLD and NEW are always available. If you use them in the wrong situation (i.e. OLD while inserting or NEW while deleting), the following happens:

- If you try to read their field values, NULL is returned.
- If you try to assign values to them, a runtime exception is thrown.

CREATE TRIGGER no longer increments table change count

Changed in: 1.0

Description: In contrast to InterBase, Firebird does not increment the metadata change counter of the associated table when CREATE, ALTER or DROP TRIGGER is used. For a full discussion, see [ALTER TRIGGER no longer increments table change count](#).

PLAN allowed in trigger code

Changed in: 1.5

Description: Before Firebird 1.5, a trigger containing a PLAN statement would be rejected by the compiler. Now a valid plan can be included and will be used.

CREATE VIEW

Available in: DSQL, ESQL

PLAN subclause disallowed

Changed in: 1.5

Description: You can no longer use a PLAN subclause in a view definition.

CREATE OR ALTER PROCEDURE

Available in: DSQL, ESQL

Added in: 1.5

Description: If the procedure does not yet exist, it is created just as if CREATE PROCEDURE were used. If it already exists, it is altered and recompiled. Existing permissions and dependencies are preserved.

Syntax: Exactly the same as for CREATE PROCEDURE.

CREATE OR ALTER TRIGGER

Available in: DSQL, ESQL

Added in: 1.5

Description: If the trigger does not yet exist, it is created just as if CREATE TRIGGER were used. If it already exists, it is altered and recompiled. Existing permissions and dependencies are preserved.

Syntax: Exactly the same as for CREATE TRIGGER.

DECLARE EXTERNAL FUNCTION

Available in: DSQL, ESQL

Description: This statement makes an external function (UDF) known to the database.

Syntax:

```
DECLARE EXTERNAL FUNCTION localname
  [<type_decl> [, <type_decl> ...]]
  RETURNS {<return_type_decl> | PARAMETER 1-based_pos} [FREE_IT]
  ENTRY_POINT 'function_name' MODULE_NAME 'library_name'

<type_decl>          ::= sqltype [BY DESCRIPTOR] | CSTRING(length)
<return_type_decl> ::= sqltype [BY {DESCRIPTOR|VALUE}] | CSTRING(length)
```

You may choose *localname* freely; this is the name by which the function will be known to your database. You may also vary the *length* argument of CSTRING parameters (more about CSTRINGs in the [note](#) near the end of the book).

BY DESCRIPTOR parameter passing

Added in: 1.0

Description: Firebird introduces the possibility to pass parameters BY DESCRIPTOR; this mechanism facilitates the processing of NULLs in a meaningful way. Notice that this only works if the person who wrote the function has implemented it. Simply adding “BY DESCRIPTOR” to an existing declaration does not make it work – on the contrary! Always use the declaration block provided by the function designer.

RETURNS PARAMETER *n*

Added in: IB 6

Description: In order to return a BLOB, an extra input parameter must be declared and a “RETURNS PARAMETER *n*” subclause added – *n* being the position of said parameter. This subclause dates back to InterBase 6 beta, but somehow didn't make it into the *Language Reference* (it is documented in the *Developer's Guide* though).

DROP GENERATOR

Available in: DSQL, ESQL

Added in: 1.0

Description: Removes a generator. Its (very small) storage space will be freed for re-use after a backup-restore cycle.

Syntax:

```
DROP GENERATOR generator-name
```

DROP TRIGGER

Available in: DSQL, ESQL

DROP TRIGGER no longer increments table change count

Changed in: 1.0

Description: In contrast to InterBase, Firebird does not increment the metadata change counter of the associated table when CREATE, ALTER or DROP TRIGGER is used. For a full discussion, see [ALTER TRIGGER no longer increments table change count](#).

RECREATE PROCEDURE

Available in: DSQL, ESQL

Added in: 1.0

Description: Creates or recreates a stored procedure. If a procedure with the same name already exists, RECREATE PROCEDURE will try to drop it and create a new procedure. RECREATE PROCEDURE will fail if the existing SP is in use.

Syntax: Exactly the same as CREATE PROCEDURE.

RECREATE TABLE

Available in: DSQL, ESQL

Added in: 1.0

Description: Creates or recreates a table. If a table with the same name already exists, RECREATE TABLE will try to drop it (destroying all its data in the process!) and create a new table. RECREATE TABLE will fail if the existing table is in use.

Syntax: Exactly the same as CREATE TABLE.

RECREATE VIEW

Available in: DSQL, ESQL

Added in: 1.5

Description: Creates or recreates a view. If a view with the same name already exists, RECREATE VIEW will try to drop it and create a new view. RECREATE VIEW will fail if the existing view is in use.

Syntax: Exactly the same as CREATE VIEW.

DML statements

EXECUTE PROCEDURE

Available in: DSQL, ESQL, PSQL

Changed in: 1.5

Description: Executes a stored procedure. In Firebird 1.0.x as well as in InterBase, any input parameters for the SP must be supplied as literals, host language variables (in ESQL) or local variables (in PSQL). In Firebird 1.5 and above, input parameters may also be (compound) expressions, except in static ESQL.

Syntax:

```
EXECUTE PROCEDURE procname
  [TRANSACTION transaction]
  [<in_item> [, <in_item> ...]]
  [RETURNING_VALUES <out_item> [, <out_item> ...]]

<in_item> ::= <param> [<>nullind>]
<out_item> ::= <outvar> [<>nullind>]
<param> ::= an expression evaluating to the declared parameter type
<outvar> ::= a host language or PSQL variable to receive the return value
<>nullind> ::= [INDICATOR]:host_lang_intvar
```

Notes

- TRANSACTION clauses are not supported in PSQL.
- Expression parameters are not supported in static ESQL, and not in Firebird versions below 1.5.
- NULL indicators are only valid in ESQL code. They must be host language variables of type integer.
- In ESQL, variable names used as parameters or outvars must be preceded by a colon (“:”). In PSQL the colon is generally optional, but forbidden for the trigger context variables OLD and NEW.

Examples:

In PSQL (with optional colons):

```
execute procedure MakeFullName
  :FirstName, :MiddleName, :LastName
  returning_values :FullName;
```

The same call in ESQL (with obligatory colons):

```
exec sql
  execute procedure MakeFullName
    :FirstName, :MiddleName, :LastName
  returning_values :FullName;
```

...and in Firebird's command-line utility isql (with literal parameters):

```
execute procedure MakeFullName
  'J', 'Edgar', 'Hoover';
```

Note: In isql, don't use RETURNING_VALUES. Any output values are shown automatically.

Finally, a PSQL example with expression parameters, only possible in Firebird 1.5 and up:

```
execute procedure MakeFullName
  'Mr./Mrs. ' || FirstName, MiddleName, upper(LastName)
  returning_values FullName;
```

SELECT

Available in: DSQL, ESQL, PSQL

Aggregate functions: Extended functionality

Changed in: 1.5

Description: Several types of mixing and nesting aggregate functions are supported since Firebird 1.5. They will be discussed in the following subsections. To get the complete picture, also look at the SELECT :: GROUP BY sections.

Mixing aggregate functions from different contexts

Firebird 1.5 and up allow the use of aggregate functions from different contexts inside a single expression.

Example:

```
select
  r.rdb$relation_name as "Table name",
  ( select max(i.rdb$statistics) || ' (' || count(*) || ')'
    from rdb$relation_fields rf
    where rf.rdb$relation_name = r.rdb$relation_name
  ) as "Max. IndexSel (# fields)"
from
  rdb$relations r
  join rdb$indices i on (i.rdb$relation_name = r.rdb$relation_name)
group by r.rdb$relation_name
```

```
having max(i.rdb$statistics) > 0
order by 2
```

This admittedly rather contrived query shows, in the second column, the maximum index selectivity of any index defined on a table, followed by the table's field count between parentheses. Of course you would normally display the field count in a separate column, or in the column with the table name, but the purpose here is to demonstrate that you can combine aggregates from different contexts in a single expression.

Warning

Firebird 1.0 also executes this type of query, but gives the wrong results!

Aggregate functions and GROUP BY items inside subqueries

Since Firebird 1.5 it is possible to use aggregate functions and/or expressions contained in the GROUP BY clause inside a subquery.

Examples:

This query returns each table's ID and field count. The subquery refers to `flds.rdb$relation_name`, which is also a GROUP BY item:

```
select
  flds.rdb$relation_name as "Relation name",
  ( select rels.rdb$relation_id
    from rdb$relations rels
    where rels.rdb$relation_name = flds.rdb$relation_name
  ) as "ID",
  count(*) as "Fields"
from rdb$relation_fields flds
group by flds.rdb$relation_name
```

The next query shows the last field from each table and its 1-based position. It uses the aggregate function MAX in a subquery.

```
select
  flds.rdb$relation_name as "Table",
  ( select flds2.rdb$field_name
    from rdb$relation_fields flds2
    where
      flds2.rdb$relation_name = flds.rdb$relation_name
      and flds2.rdb$field_position = max(flds.rdb$field_position)
  ) as "Last field",
  max(flds.rdb$field_position) + 1 as "Last fieldpos"
from rdb$relation_fields flds
group by 1
```

The subquery also contains the GROUP BY item `flds.rdb$relation_name`, but that's not immediately obvious because in this case the GROUP BY clause uses the column number.

Subqueries inside aggregate functions

Using a singleton subselect inside (or as) an aggregate function argument is supported in Firebird 1.5 and up.

Example:

```
select
  r.rdb$relation_name as "Table",
  sum( (select count(*)
        from rdb$relation_fields rf
        where rf.rdb$relation_name = r.rdb$relation_name)
    ) as "Ind. x Fields"
from
  rdb$relations r
  join rdb$indices i
    on (i.rdb$relation_name = r.rdb$relation_name)
group by
  r.rdb$relation_name
```

Nesting aggregate function calls

Firebird 1.5 allows the indirect nesting of aggregate functions, provided that the inner function is from a lower SQL context. Direct nesting of aggregate function calls, as in “COUNT(MAX(price))”, is still forbidden and punishable by exception.

Example: See under *Subqueries inside aggregate functions*, where COUNT() is used inside a SUM().

Aggregate statements: Stricter HAVING and ORDER BY

Firebird 1.5 and above are stricter than previous versions about what can be included in the HAVING and ORDER BY clauses. If, in the context of an aggregate statement, an operand in a HAVING or ORDER BY item contains a column name, it is only accepted if one of the following is true:

- The column name appears in an aggregate function call (e.g. “HAVING MAX(SALARY) > 10000”).
- The operand equals or is based upon a non-aggregate column that appears in the GROUP BY list (by name or position).

“Is based upon” means that the operand need not be exactly the same as the column name. Suppose there's a non-aggregate column “STR” in the select list. Then it's OK to use expressions like “UPPER(STR)”, “STR || '!'” or “SUBSTRING(STR FROM 4 FOR 2)” in the HAVING clause – even if these expressions don't appear as such in the SELECT or GROUP BY list.

Ambiguous JOIN statements rejected

Changed in: 1.0

Description: InterBase 6 accepts and executes statements like the one below, which refers to an unqualified column name even though that name exists in both tables participating in the JOIN:

```
select buses.name, garages.name
  from buses join garages on buses.garage_id = garage.id
 where name = 'Phideaux III'
```

The results of such a query are unpredictable. Firebird Dialect 3 returns an error if there are ambiguous field names in JOIN statements. Dialect 1 gives a warning but will execute the query anyway.

FIRST and SKIP

Added in: 1.0

Changed in: 1.5

Description: FIRST limits the output of a query to the first so-many rows. SKIP will suppress the given number of rows before starting to return output.

Syntax:

```
SELECT [FIRST (<int-expr>)] [SKIP (<int-expr>)] <columns> FROM ...  
  
<int-expr> ::= Any expression evaluating to an integer.  
<columns>  ::= The usual output column specifications.
```

Note

If *<int-expr>* is an integer literal or a query parameter, the “()” may be omitted. Subselects on the other hand require an extra pair of parentheses.

FIRST and SKIP are both optional. When used together as in “FIRST *m* SKIP *n*”, the *n* topmost rows of the output set are discarded and the first *m* rows of the remainder are returned.

SKIP 0 is allowed, but of course rather pointless. FIRST 0 is allowed in version 1.5 and up, where it returns an empty set. In 1.0.x, FIRST 0 causes an error. Negative SKIP and/or FIRST values always result in an error.

If a SKIP lands past the end of the dataset, an empty set is returned. If the number of rows in the dataset (or the remainder after a SKIP) is less than the value given after FIRST, that smaller number of rows is returned. These are valid results, not error situations.

Examples:

The following query will return the first 10 names from the People table:

```
select first 10 id, name from People  
order by name asc
```

The following query will return everything *but* the first 10 names:

```
select skip 10 id, name from People  
order by name asc
```

And this one returns the last 10 rows. Notice the double parentheses:

```
select skip ((select count(*) - 10 from People))  
id, name from People  
order by name asc
```

This query returns rows 81–100 of the People table:

```
select first 20 skip 80 id, name from People
order by name asc
```

Two Gotchas with FIRST in subselects

- This:

```
delete from MyTable where ID in (select first 10 ID from MyTable)
```

will delete all of the rows in the table. Ouch! The sub-select is evaluating each 10 candidate rows for deletion, deleting them, slipping forward 10 more... ad infinitum, until there are no rows left. Beware!

- Queries like:

```
...where F1 in (select first 5 F2 from Table2 order by 1 desc)
```

won't work as expected, because the optimization performed by the engine transforms the IN predicate to the correlated EXISTS predicate shown below. It's obvious that in this case FIRST *N* doesn't make any sense:

```
...where exists
( select first 5 F2 from Table2
  where Table2.F2 = Table1.F1
  order by 1 desc )
```

GROUP BY UDF

Changed in: 1.0

Description: In Firebird, you can use the output of a user-defined function as a GROUP BY item.

Syntax:

```
SELECT ... FROM ...
  GROUP BY <item> [, <item> ...]
  ...

<item>      ::= column-name [COLLATE collation-name] | <udf-call>
<udf-call> ::= udf-name(arg1 [, argN ...])
```

UDF calls may be nested, but – as follows from the syntax – you cannot mix UDF calls and COLLATE in a single GROUP BY item.

Example:

```
select strlen(lastname), count(*)
from people
group by strlen(lastname)
order by 2 desc
```

Warning

DSQL currently lacks a mechanism to check if GROUP BY UDF subclauses are formulated correctly. Always make sure that your GROUP BY item list correctly represents the *scalar* (i.e. non-aggregate) expression(s) in your SELECT list.

GROUP BY internal function, column position, and CASE

Changed in: 1.5

Description: Firebird 1.5 adds the following to the list of valid GROUP BY items:

- 1-based column position numbers (like in ORDER BY);
- The internal functions COALESCE, EXTRACT, NULLIF, SUBSTRING and UPPER;
- CASE constructs.

Syntax:

```
SELECT ... FROM ...
  GROUP BY <item> [, <item> ...]
  ...

<item>          ::= column-name [COLLATE collation-name]
                  | column-position
                  | <function-call>
                  | CASE-construct

<function-call> ::= COALESCE(arg1, arg2 [, argN ...])
                  | EXTRACT(part FROM date/time)
                  | NULLIF(arg1, arg2)
                  | SUBSTRING(str FROM pos [FOR count])
                  | UPPER(str)
                  | udf-name(arg1 [, argN ...])
```

Function calls may be nested. As in previous versions, COLLATE can only be used with column names.

If you group by a column position, the expression at that position is copied internally from the select list. If it concerns a subquery, that subquery will be executed at least twice.

Important

- A GROUP BY item cannot be a reference to an aggregate function (including those that are buried inside an expression) from the same context.
- As before, every non-aggregate column **must** appear in the GROUP BY list, whether explicitly or by position.
- An exception to the previous rule are non-aggregate subquery columns; you may leave these out of the GROUP BY clause. Be very careful though: if the subquery uses columns that are not in the GROUP BY list, it may return different results within the same group and you're in trouble. To avoid this, add those columns – or the entire subquery column – to the GROUP BY.

Examples:

```
select
  case when price is null then 0 else price end,
  sum(number_sold)
from sales_per_article
group by
  case when price is null then 0 else price end
```

Of course this example is only to demonstrate the use of a CASE construct in the GROUP BY clause. In this particular case you should first of all use COALESCE:


```
select
  coalesce (price, 0),
  sum(number_sold)
from sales_per_article
group by
  coalesce (price, 0)
```

and then you could save yourself some typing time by using the column number:

```
select
  coalesce (price, 0),
  sum(number_sold)
from sales_per_article
group by 1
```

HAVING: Stricter rules

Changed in: 1.5

Description: See [Aggregate statements: Stricter HAVING and ORDER BY](#).

ORDER BY: Expressions and NULLS placement

Changed in: 1.5

Description: In addition to column names and positions, the ORDER BY clause can now also contain expressions to sort the output by. Furthermore, per-column NULLS FIRST and NULLS LAST subclauses can be used to specify where NULLS appear in the sorted column.

Syntax:

```
SELECT ... FROM ...
...
ORDER BY <ordering-item> [, <ordering-item> ...]

<ordering-item> ::= {column-name | column-position | expression}
                  [COLLATE collation-name]
                  [ASC[ENDING] | DESC[ENDING]]
                  [NULLS {FIRST|LAST}]
```

Expressions consisting of a single non-negative number will be interpreted as 1-based column numbers and will cause an exception if they're not in the range from 1 to the number of columns.

By default, NULLS will be placed at the end of the sort, regardless whether the order is ascending or descending. This is the same behaviour as in previous Firebird versions. No index will be used on columns for which the non-default NULLS FIRST placement is chosen.

The number of function or procedure invocations resulting from a sort based on a UDF or stored procedure is unpredictable, regardless whether the ordering is specified by the expression itself or by the column position number.

Examples:

```
select * from msg
order by process_time desc nulls first
```

```
select first 10 * from document
order by strlen(description) desc
```

```
select doc_number, doc_date from payorder
union all
select doc_number, doc_date from budgorder
order by 2 desc nulls last, 1 asc nulls first
```

ORDER BY: Stricter rules with aggregate statements

Changed in: 1.5

Description: See *Aggregate statements: Stricter HAVING and ORDER BY*.

WITH LOCK

Available in: DSQL, PSQL

Added in: 1.5

Description: WITH LOCK provides a limited explicit pessimistic locking capability for cautious use in conditions where the affected row set is:

- a. extremely small (ideally, a singleton), *and*
- b. precisely controlled by the application code.

This is for experts only!

The need for a pessimistic lock in Firebird is very rare indeed and should be well understood before use of this extension is considered.

It is essential to understand the effects of transaction isolation and other transaction attributes before attempting to implement explicit locking in your application.

Syntax:

```
SELECT ... FROM single_table
[WHERE ...]
[FOR UPDATE [OF ...]]
[WITH LOCK]
```

If the WITH LOCK clause succeeds, it will secure a lock on the selected rows and prevent any other transaction from obtaining write access to any of those rows, or their dependants, until your transaction ends.

If the FOR UPDATE clause is included, the lock will be applied to each row, one by one, as it is fetched into the server-side row cache. It becomes possible, then, that a lock which appeared to succeed when requested will nevertheless *fail subsequently*, when an attempt is made to fetch a row which becomes locked by another transaction.

WITH LOCK can only be used with a top-level, single-table SELECT statement. It is *not* available:

- in a subquery specification;
- for joined sets;
- with the DISTINCT operator, a GROUP BY clause or any other aggregating operation;
- with a view;
- with the output of a selectable stored procedure;
- with an external table.

A lengthier, more in-depth discussion of “SELECT ... WITH LOCK” is included in the [Notes](#). It is a must-read for everybody who considers using this feature.

Transaction control statements

RELEASE SAVEPOINT

Available in: DSQL

Added in: 1.5

Description: Deletes a named savepoint, freeing up all the resources it binds.

Syntax:

```
RELEASE SAVEPOINT name [ONLY]
```

Unless ONLY is added, all the savepoints created after the named savepoint are released as well.

For a full discussion of savepoints, see [SAVEPOINT](#).

ROLLBACK TO SAVEPOINT

Available in: DSQL

Added in: 1.5

Description: Undoes everything that happened in a transaction since the creation of the savepoint.

Syntax:

```
ROLLBACK [WORK] TO [SAVEPOINT] name
```

ROLLBACK TO SAVEPOINT performs the following operations:

- All the mutations performed within the transaction since the savepoint was created are undone.
- All savepoints created after the one named are destroyed. All earlier savepoints are preserved, as is the savepoint itself. This means that you can rollback to the same savepoint several times.
- All implicit and explicit record locks acquired since the savepoint are released. Other transactions that have requested access to rows locked after the savepoint must continue to wait until the transaction is committed or

rolled back. Other transactions that have not already requested the rows can request and access the unlocked rows immediately.

For a full discussion of savepoints, see [SAVEPOINT](#).

SAVEPOINT

Available in: DSQL

Added in: 1.5

Description: Creates an SQL-99 compliant savepoint, to which you can later rollback your work without rolling back the entire transaction. Savepoint mechanisms are also known as “nested transactions”.

Syntax:

```
SAVEPOINT <name>

<name> ::= a user-chosen identifier, unique within the transaction
```

If the supplied name exists already within the same transaction, the existing savepoint is deleted and a new one is created with the same name.

If you later want to rollback your work to the point where the savepoint was created, use:

```
ROLLBACK [WORK] TO [SAVEPOINT] name
```

ROLLBACK TO SAVEPOINT performs the following operations:

- All the mutations performed within the transaction since the savepoint was created are undone.
- All savepoints created after the one named are destroyed. All earlier savepoints are preserved, as is the savepoint itself. This means that you can rollback to the same savepoint several times.
- All implicit and explicit record locks acquired since the savepoint are released. Other transactions that have requested access to rows locked after the savepoint must continue to wait until the transaction is committed or rolled back. Other transactions that have not already requested the rows can request and access the unlocked rows immediately.

The internal savepoint bookkeeping can consume huge amounts of memory, especially if you update the same records multiple times in one transaction. If you don't need a savepoint anymore but you're not yet ready to end the transaction, you can delete the savepoint and free the resources it uses with:

```
RELEASE SAVEPOINT name [ONLY]
```

With ONLY, the named savepoint is the only one that gets released. Without it, all savepoints created after it are released as well.

Example DSQL session using a savepoint:

```
create table test (id integer);
commit;
```

```
insert into test values (1);
commit;
insert into test values (2);
savepoint y;
delete from test;
select * from test; -- returns no rows
rollback to y;
select * from test; -- returns two rows
rollback;
select * from test; -- returns one row
```

Internal savepoints

By default, the engine uses an automatic transaction-level system savepoint to perform transaction rollback. When you issue a ROLLBACK statement, all changes performed in this transaction are backed out via a transaction-level savepoint and the transaction is then committed. This logic reduces the amount of garbage collection caused by rolled back transactions.

When the volume of changes performed under a transaction-level savepoint is getting large (10^4 – 10^6 records affected), the engine releases the transaction-level savepoint and uses the TIP mechanism to roll back the transaction if needed.

Tip

If you expect the volume of changes in your transaction to be large, you can use the TPB flag `isc_tpb_no_auto_undo` to avoid the transaction-level savepoint being created.

Savepoints and PSQL

Transaction control statements are not allowed in PSQL, as that would break the atomicity of the statement that calls the procedure. But Firebird does support the raising and handling of exceptions in PSQL, so that actions performed in stored procedures and triggers can be selectively undone without the entire procedure failing. Internally, automatic savepoints are used to:

- undo all actions in a BEGIN...END block where an uncaught exception occurs;
- undo all actions performed by the SP/trigger (or, in the case of a selectable SP, all actions performed since the last SUSPEND) when it terminates prematurely due to an uncaught error or exception.

Each PSQL exception handling block is also bounded by automatic system savepoints.

Chapter 8

PSQL statements

PSQL – Procedural SQL – is the Firebird stored procedure and trigger language.

BEGIN ... END blocks may be empty

Available in: PSQL

Changed in: 1.5

Description: BEGIN ... END blocks may be empty in Firebird 1.5 and up, allowing you to write stub code without having to resort to dummy statements.

Example:

```
create trigger bi_atable for atable
active before insert position 0
as
begin
end
```

BREAK

Available in: PSQL

Added in: 1.0

Better alternative: [LEAVE](#)

Description: BREAK immediately terminates a WHILE or FOR loop and continues with the first statement after the loop.

Example:

```
create procedure selphrase(num int)
returns (phrase varchar(40))
as
begin
  for select Phr from Phrases into phrase do
  begin
    if (num < 1) then break;
    suspend;
    num = num - 1;
  end
```

```
phrase = '*** Ready! ***';
suspend;
end
```

This selectable SP returns at most *num* rows from the table Phrases. The variable *num* is decremented in each iteration; once it is smaller than 1, the loop is terminated with BREAK. The program then continues at the line “phrase = '*** Ready! ***';”.

Important

Since Firebird 1.5, use of the SQL-99 compliant synonym **LEAVE** is preferred.

DECLARE [VARIABLE] with initialization

Available in: PSQL

Changed in: 1.5

Description: In Firebird 1.5 and above, a PSQL local variable can be initialized upon declaration. The VARIABLE keyword has become optional.

Syntax:

```
DECLARE [VARIABLE] varname datatype [{= | DEFAULT} value];
```

Example:

```
create procedure proccie (a int)
returns (b int)
as
  declare p int;
  declare q int = 8;
  declare r int default 9;
  declare variable s int;
  declare variable t int = 10;
  declare variable u int default 11;
begin
  <intelligent code here>
end
```

EXCEPTION

Available in: PSQL

Changed in: 1.5

Description: The EXCEPTION syntax has been extended so that the user can

- a. Rethrow a caught exception or error.
- b. Provide a custom message when throwing a user-defined exception.

Syntax:

```
EXCEPTION [<exception-name> [custom-message]]
<exception-name> ::= A previously defined exception name
```

Rethrowing a caught exception

Within the exception handling block only, you can rethrow the caught exception or error by giving the EXCEPTION command without any arguments. Outside such blocks, this “bare” command has no effect.

Example:

```
when any do
begin
  insert into error_log (...) values (sqlcode, ...);
  exception;
end
```

This example first logs some information about the exception or error, and then rethrows it.

Providing a custom error message

Firebird 1.5 and up allow you to override an exception's default error message by supplying an alternative one when throwing the exception.

Examples:

```
exception ex_data_error 'You just lost some valuable data';
```

```
exception ex_bad_type 'Wrong type for record with id ' || new.id;
```

EXECUTE PROCEDURE

Available in: DSQL, PSQL

Changed in: 1.5

Description: In Firebird 1.5 and above, (compound) expressions are allowed as input parameters for stored procedures called with EXECUTE PROCEDURE. See *DML statements :: EXECUTE PROCEDURE* for full info and examples.

EXECUTE STATEMENT

Available in: PSQL

Added in: 1.5

Description: EXECUTE STATEMENT takes a single string argument and executes it as if it had been submitted as a DSQL statement. The exact syntax depends on the number of data rows that the supplied statement may return.

No data returned

This form is used with INSERT, UPDATE, DELETE and EXECUTE PROCEDURE statements that return no data.

Syntax:

```
EXECUTE STATEMENT <statement>

<statement> ::= An SQL statement returning no data.
```

Example:

```
create procedure DynamicSampleOne (ProcName varchar(100))
as
declare variable stmt varchar(1024);
declare variable param int;
begin
  select min(SomeField) from SomeTable into param;
  stmt = 'execute procedure '
        || ProcName
        || '('
        || cast(param as varchar(20))
        || ')';
  execute statement stmt;
end
```

Warning

Although this form of EXECUTE STATEMENT can also be used with all kinds of DDL strings (except CREATE/DROP DATABASE), it is generally very, very unwise to use this trick in order to circumvent the no-DDL rule in PSQL.

One row of data returned

This form is used with singleton SELECT statements.

Syntax:

```
EXECUTE STATEMENT <select-statement> INTO <var> [, <var> ...]

<select-statement> ::= An SQL statement returning at most one row of data.
<var>                ::= A PSQL variable, optionally preceded by ":"
```

Example:

```
create procedure DynamicSampleTwo (TableName varchar(100))
as
declare variable param int;
begin
  execute statement
    'select max(CheckField) from ' || TableName into :param;
  if (param > 100) then
    exception Ex_Overflow 'Overflow in ' || TableName;
end
```

Any number of data rows returned

This form – analogous to “FOR SELECT ... DO” – is used with SELECT statements that may return a multi-row dataset.

Syntax:

```
FOR EXECUTE STATEMENT <select-statement> INTO <var> [, <var> ...]
  DO <compound-statement>

<select-statement> ::= Any SELECT statement.
<var> ::= A PSQL variable, optionally preceded by ":"
```

Example:

```
create procedure DynamicSampleThree
  ( TextField varchar(100),
    TableName varchar(100) )
returns
  ( LongLine varchar(32000) )
as
declare variable Chunk varchar(100);
begin
  Chunk = '';
  for execute statement
    'select ' || TextField || ' from ' || TableName into :Chunk
  do
    if (Chunk is not null) then
      LongLine = LongLine || Chunk || ' ';
    suspend;
end
```

Caveats with EXECUTE STATEMENT

1. There is no way to validate the syntax of the enclosed statement.
2. There are no dependency checks to discover whether tables or columns have been dropped.
3. Operations will be slow because the embedded statement has to be prepared every time it is executed.

4. The argument string cannot contain any parameters. All variable substitution into the static part of the DSQL statement should be performed before EXECUTE STATEMENT is called.
5. Return values are strictly checked for data type in order to avoid unpredictable type-casting exceptions. For example, the string '1234' would convert to an integer, 1234, but 'abc' would give a conversion error.
6. The submitted DSQL statement is always executed with the privileges of the current **user**. Privileges granted to the trigger or SP that contains the EXECUTE STATEMENT statement are not in effect while the DSQL statement runs.

All in all, this feature is intended only for very cautious use and you should always take the above factors into account. Bottom line: use EXECUTE STATEMENT only when other methods are impossible, or perform even worse than EXECUTE STATEMENT.

EXIT

Available in: PSQL

Changed in: 1.5

Description: In Firebird 1.5 and up, EXIT can be used in all PSQL. In earlier versions it is only supported in stored procedures, not in triggers.

FOR EXECUTE STATEMENT ... DO

Available in: PSQL

Added in: 1.5

Description: See *EXECUTE STATEMENT :: Any number of data rows returned.*

FOR SELECT ... INTO ... DO

Available in: PSQL

Description: Executes a SELECT statement and retrieves the result set. In each iteration of the loop, the field values of the current row are copied into local variables. Adding an AS CURSOR clause enables positioned deletes and updates. FOR SELECT statements may be nested.

Syntax:

```
FOR <select-stmt>
  INTO <var> [, <var> ...]
  [AS CURSOR name]
DO
  <psql-stmt>
```

```
<select-stmt> ::= A valid SELECT statement.
<var> ::= A PSQL variable name, optionally preceded by ":"
<psql-stmt> ::= A single statement or a block of PSQL code.
```

- The SELECT statement may contain named SQL parameters, like in “select name || :sfx from names where number = :num”. Each parameter must be a PSQL variable that has been declared previously (this includes any in/out params of the PSQL module).
- Caution! If the value of a PSQL variable that is used in the SELECT statement changes during execution of the loop, the statement *may* (but will not always) be re-evaluated for the remaining rows. In general, this situation should be avoided. If you really need this behaviour, test your code thoroughly and make sure you know how variable changes affect the outcome. Also be advised that the behaviour may depend on the query plan, in particular the use of indices. As it is currently not strictly defined, it may change in some future version of Firebird.

Examples:

```
create procedure shownums
  returns (aa int, bb int, sm int, df int)
as
begin
  for select distinct a, b from numbers order by a, b
    into :aa, :bb
  do
    begin
      sm = aa + bb;
      df = aa - bb;
      suspend;
    end
  end
end
```

```
create procedure relfields
  returns (relation char(32), pos int, field char(32))
as
begin
  for select rdb$relation_name from rdb$relations
    into :relation
  do
    begin
      for select rdb$field_position + 1, rdb$field_name
        from rdb$relation_fields
        where rdb$relation_name = :relation
        order by rdb$field_position
        into :pos, :field
      do
        begin
          if (pos = 2) then relation = '  '; -- for nicer output
          suspend;
        end
      end
    end
  end
end
```

AS CURSOR clause

Available in: PSQL

Added in: IB

Description: The optional AS CURSOR clause creates a named cursor that can be referenced (after WHERE CURRENT OF) within the FOR SELECT loop in order to update or delete the current row. This feature was already added in InterBase, but not mentioned in the *Language Reference*.

Example:

```
create procedure deltown (towntodelete varchar(24))
  returns (town varchar(24), pop int)
as
begin
  for select town, pop from towns into :town, :pop as cursor tcur do
  begin
    if (town = towntodelete)
      then delete from towns where current of tcur;
      else suspend;
    end
  end
end
```

Notes:

- A “FOR UPDATE” clause is allowed in the SELECT statement., but not required for a positioned update or delete to succeed.
- AS CURSOR is not supported in FOR EXECUTE STATEMENT loops, even if the statement to execute is a suitable SELECT query.

LEAVE

Available in: PSQL

Added in: 1.5

Description: LEAVE immediately terminates a WHILE or FOR loop and continues with the first statement after the loop.

Example:

```
while (b < 10) do
begin
  insert into Numbers(B) values (:b);
  b = b + 1;
  when any do
  begin
    execute procedure log_error (current_timestamp, 'Error in B loop');
    leave;
  end
end
end
c = 0;
while (c < 10) do
begin
  ...
```

```
...  
end
```

If an error occurs during the insert, the event is logged and the loop terminated. The program continues at the line of code reading “c = 0;”

PLAN allowed in trigger code

Changed in: 1.5

Description: Before Firebird 1.5, a trigger containing a PLAN statement would be rejected by the compiler. Now a valid plan can be included and will be used.

Chapter 9

Context variables

CURRENT_CONNECTION

Available in: DSQL, PSQL

Added in: 1.5

Description: CURRENT_CONNECTION returns a unique identifier for the current connection.

Type: INTEGER

Examples:

```
select current_connection from rdb$database
```

```
execute procedure P_Login(current_connection)
```

The value of CURRENT_CONNECTION is stored on the database header page and reset upon restore. Since the engine itself is not interested in this value, it is only incremented if the client reads it during a session. Hence it is only useful as a unique identifier, not as an indicator of the number of connections since the creation or latest restoration of the database. Please note that this will change in Firebird 2.1.

CURRENT_ROLE

Available in: DSQL, PSQL

Added in: 1.0

Description: CURRENT_ROLE is a context variable containing the role of the currently connected user. If there is no active role, CURRENT_ROLE is NONE.

Type: VARCHAR(31)

Example:

```
if (current_role <> 'MANAGER')
  then exception only_managers_may_delete;
else
  delete from Customers where custno = :custno;
```


CURRENT_ROLE always represents a valid role or NONE. If a user connects with a non-existing role, the engine silently resets it to NONE without returning an error.

CURRENT_TRANSACTION

Available in: DSQL, PSQL

Added in: 1.5

Description: CURRENT_TRANSACTION contains the unique identifier of the current transaction.

Type: INTEGER

Examples:

```
select current_transaction from rdb$database
```

```
New.Txn_ID = current_transaction;
```

The value of CURRENT_TRANSACTION is stored on the database header page and reset upon restore. Unlike CURRENT_CONNECTION, it is incremented with every new transaction, whether the client reads the value or not.

CURRENT_USER

Available in: DSQL, PSQL

Added in: 1.0

Description: CURRENT_USER is a context variable containing the name of the currently connected user. It is fully equivalent to USER.

Type: VARCHAR(31)

Example:

```
create trigger bi_customers for customers before insert as
begin
  New.added_by = CURRENT_USER;
  New.purchases = 0;
end
```

DELETING

Available in: PSQL

Added in: 1.5

Description: Available in triggers only, `DELETING` indicates if the trigger fired because of a `DELETE` operation. Intended for use in [multi-action triggers](#).

Type: boolean

Example:

```
if (deleting) then
begin
  insert into Removed_Cars (id, make, model, removed)
    values (old.id, old.make, old.model, current_timestamp);
end
```

GDSCODE

Available in: PSQL

Added in: 1.5

Description: In a `WHEN GDSCODE` handling block, the `GDSCODE` context variable contains a numerical representation of the current Firebird error code. It is 0 in `WHEN SQLCODE`, `WHEN EXCEPTION` and `WHEN ANY` handlers, as well as everywhere else in PSQL.

Type: INTEGER

Example:

```
when gdscode 335544551, gdscode 335544552,
      gdscode 335544553, gdscode 335544707
do
begin
  execute procedure log_grant_error(gdscode);
  exit;
end
```

INSERTING

Available in: PSQL

Added in: 1.5

Description: Available in triggers only, `INSERTING` indicates if the trigger fired because of an `INSERT` operation. Intended for use in [multi-action triggers](#).

Type: boolean

Example:

```
if (inserting or updating) then
begin
  if (new.serial_num is null) then
    new.serial_num = gen_id(gen_serials, 1);
end
```

ROW_COUNT

Available in: PSQL

Added in: 1.5

Description: The ROW_COUNT context variable contains the number of rows affected by the most recent DML statement (INSERT, UPDATE or DELETE) in the current trigger or stored procedure.

Type: INTEGER

Example:

```
update Figures set Number = 0 where id = :id;
if (row_count = 0) then
  insert into Figures (id, Number) values (:id, 0);
```

Notes

- For SELECT statements, ROW_COUNT currently returns 0.
- ROW_COUNT cannot be used to determine the number of rows affected by an EXECUTE STATEMENT or EXECUTE PROCEDURE command.

SQLCODE

Available in: PSQL

Added in: 1.5

Description: In a WHEN SQLCODE handling block, the SQLCODE context variable contains the current SQL error code. In a WHEN ANY block it contains the SQL error code if indeed an SQL error occurred; otherwise it contains 0. SQLCODE is also 0 in WHEN GDSCODE and WHEN EXCEPTION handlers, as well as everywhere else in PSQL.

Type: INTEGER

Example:

```
when any
do
```

```
begin
  if (sqlcode <> 0) then
    Msg = 'An SQL error occurred!';
  else
    Msg = 'Something bad happened!';
  exception ex_custom Msg;
end
```

UPDATING

Available in: PSQL

Added in: 1.5

Description: Available in triggers only, UPDATING indicates if the trigger fired because of an UPDATE operation. Intended for use in [multi-action triggers](#).

Type: boolean

Example:

```
if (inserting or updating) then
begin
  if (new.serial_num is null) then
    new.serial_num = gen_id(gen_serials, 1);
end
```

Internal functions

COALESCE()

Available in: DSQL, ESQL, PSQL

Added in: 1.5

Description: The COALESCE function takes two or more arguments and returns the value of the first non-NULL argument. If all the arguments evaluate to NULL, the result is NULL.

Return type: Depends on input.

Syntax:

```
COALESCE (<exp1>, <exp2> [, <expN> ... ])
```

Example:

```
select
  coalesce (Nickname, FirstName, 'Mr./Mrs.') || ' ' || LastName
  as FullName
from Persons
```

This example picks the Nickname from the Persons table. If it happens to be NULL, it goes on to FirstName. If that too is NULL, “Mr./Mrs.” is used. Finally, it adds the family name. All in all, it tries to use the available data to compose a full name that is as informal as possible. Notice that this scheme only works if absent nicknames and first names are really NULL: if one of them is an empty string instead, COALESCE will happily return that to the caller.

Note

In Firebird 1.0.x, where COALESCE is not available, you can accomplish the same with the `*nv1` external functions.

EXTRACT()

Available in: DSQL, ESQL, PSQL

Added in: IB 6

Description: Extracts and returns an element from a DATE, TIME or TIMESTAMP expression. It was already added in InterBase 6, but not documented in the *Language Reference* at the time.

Return type: SMALLINT or DECIMAL(6,4)

Syntax:

```
EXTRACT (<part> FROM <datetime>)

<part>      ::= YEAR | MONTH | DAY | WEEKDAY | YEARDAY
              | HOUR | MINUTE | SECOND
<datetime> ::= An expression of type DATE, TIME or TIMESTAMP
```

The returned datatype is DECIMAL(6,4) for the SECOND part and SMALLINT for all others. The ranges are shown in the table below.

If you try to extract a part that isn't present in the date/time argument (e.g. SECOND from a DATE or YEAR from a TIME), an error occurs.

Table 10.1. Ranges for EXTRACT results

Part	Range	Comment
YEAR	1-9999	
MONTH	1-12	
DAY	1-31	
WEEKDAY	0-6	0 = Sunday
YEARDAY	0-365	0 = January 1
HOUR	0-23	
MINUTE	0-59	
SECOND	0.0000-59.999	

NULLIF()

Available in: DSQL, ESQL, PSQL

Added in: 1.5

Description: NULLIF returns the value of the first argument, unless it is equal to the second. In that case, NULL is returned.

Return type: Depends on input.

Syntax:

```
NULLIF (<exp1>, <exp2>)
```

Example:

```
select avg( nullif(Weight, -1) ) from FatPeople
```

This will return the average weight of the persons listed in `FatPeople`, excluding those having a weight of `-1`, since `AVG` skips `NULL` data. Presumably, `-1` indicates “weight unknown” in this table. A plain `AVG(Weight)` would include the `-1` weights, thus skewing the result.

Note

In Firebird 1.0.x, where `NULLIF` is not available, you can accomplish the same with the `*nullif` external functions.

SUBSTRING()

Available in: DSQL, ESQL, PSQL

Added in: 1.0

Description: Returns a string's substring starting at the given position, either to the end of the string or with a given length.

Return type: CHAR(*n*)

Syntax:

```
SUBSTRING(<str> FROM startpos [FOR length])

<str> := any expression evaluating to a string
startpos and length must be integer literals
```

`SUBSTRING` returns the stream of bytes starting at byte position *startpos* (the first byte position being 1). Without the `FOR` argument, it returns all the remaining bytes in the string. With `FOR`, it returns *length* bytes or the remainder of the string, whichever is shorter.

`SUBSTRING` can be used with:

- Any string or (var)char argument, regardless of its character set;
- Subtype 0 (binary) BLOBs;
- Subtype 1 (text) BLOBs, if the character set has 1 byte per character.

`SUBSTRING` can *not* be used with text BLOBs that have an underlying multi-byte character set.

Example:

```
insert into AbbrNames(AbbrName)
select substring(LongName from 1 for 3) from LongNames
```

Chapter 11

External functions (UDFs)

External functions must be “declared” (made known) to the database before they can be used. Firebird ships with two external function libraries:

- `ib_udf` – inherited from InterBase;
- `fbudf` – a new library using [descriptors](#), present as from Firebird 1.0 (Windows) and 1.5 (Linux).

Users can also create their own UDF libraries or acquire them from third parties.

addDay

Library: fbudf

Added in: 1.0 (Win), 1.5 (Linux)

Description: Returns the first argument with *number* days added. Use negative numbers to subtract.

Return type: TIMESTAMP

Syntax:

```
addday (atimestamp, number)
```

Declaration:

```
DECLARE EXTERNAL FUNCTION addDay
TIMESTAMP, INT
RETURNS TIMESTAMP
ENTRY_POINT 'addDay' MODULE_NAME 'fbudf'
```

addHour

Library: fbudf

Added in: 1.0 (Win), 1.5 (Linux)

Description: Returns the first argument with *number* hours added. Use negative numbers to subtract.

Return type: TIMESTAMP

Syntax:

```
addhour (atimestamp, number)
```

Declaration:

```
DECLARE EXTERNAL FUNCTION addHour  
    TIMESTAMP, INT  
    RETURNS TIMESTAMP  
    ENTRY_POINT 'addHour' MODULE_NAME 'fbudf'
```

addMillisecond

Library: fbudf

Added in: 1.0 (Win), 1.5 (Linux)

Description: Returns the first argument with *number* milliseconds added. Use negative numbers to subtract.

Return type: TIMESTAMP

Syntax:

```
addmillisecond (atimestamp, number)
```

Declaration:

```
DECLARE EXTERNAL FUNCTION addMillisecond  
    TIMESTAMP, INT  
    RETURNS TIMESTAMP  
    ENTRY_POINT 'addMillisecond' MODULE_NAME 'fbudf'
```

addMinute

Library: fbudf

Added in: 1.0 (Win), 1.5 (Linux)

Description: Returns the first argument with *number* minutes added. Use negative numbers to subtract.

Return type: TIMESTAMP

Syntax:

```
addminute (atimestamp, number)
```

Declaration:

```
DECLARE EXTERNAL FUNCTION addMinute
  TIMESTAMP, INT
  RETURNS TIMESTAMP
  ENTRY_POINT 'addMinute' MODULE_NAME 'fbudf'
```

addMonth

Library: fbudf

Added in: 1.0 (Win), 1.5 (Linux)

Description: Returns the first argument with *number* months added. Use negative numbers to subtract.

Return type: TIMESTAMP

Syntax:

```
addmonth (timestamp, number)
```

Declaration:

```
DECLARE EXTERNAL FUNCTION addMonth
  TIMESTAMP, INT
  RETURNS TIMESTAMP
  ENTRY_POINT 'addMonth' MODULE_NAME 'fbudf'
```

addSecond

Library: fbudf

Added in: 1.0 (Win), 1.5 (Linux)

Description: Returns the first argument with *number* seconds added. Use negative numbers to subtract.

Return type: TIMESTAMP

Syntax:

```
addsecond (timestamp, number)
```

Declaration:

```
DECLARE EXTERNAL FUNCTION addSecond
  TIMESTAMP, INT
  RETURNS TIMESTAMP
  ENTRY_POINT 'addSecond' MODULE_NAME 'fbudf'
```

addWeek

Library: fbudf

Added in: 1.0 (Win), 1.5 (Linux)

Description: Returns the first argument with *number* weeks added. Use negative numbers to subtract.

Return type: TIMESTAMP

Syntax:

```
addweek (atimestamp, number)
```

Declaration:

```
DECLARE EXTERNAL FUNCTION addWeek  
    TIMESTAMP, INT  
    RETURNS TIMESTAMP  
    ENTRY_POINT 'addWeek' MODULE_NAME 'fbudf'
```

addYear

Library: fbudf

Added in: 1.0 (Win), 1.5 (Linux)

Description: Returns the first argument with *number* years added. Use negative numbers to subtract.

Return type: TIMESTAMP

Syntax:

```
addyear (atimestamp, number)
```

Declaration:

```
DECLARE EXTERNAL FUNCTION addYear  
    TIMESTAMP, INT  
    RETURNS TIMESTAMP  
    ENTRY_POINT 'addYear' MODULE_NAME 'fbudf'
```

ascii_char

Library: ib_udf

Changed in: 1.0

Description: Returns the ASCII character corresponding to the integer value passed in.

Return type: CHAR(1)

Syntax (unchanged):

```
ascii_char (intval)
```

Declaration (changed):

```
DECLARE EXTERNAL FUNCTION ascii_char
  INTEGER
  RETURNS CSTRING(1) FREE_IT
  ENTRY_POINT 'IB_UDF_ascii_char' MODULE_NAME 'ib_udf'
```

The declaration has been changed to reflect the fact that the UDF as such returns a 1-character C string, not an SQL CHAR(1) as stated in the InterBase declaration. The engine will pass it on to the caller as a CHAR(1) though.

dow

Library: fbudf

Added in: 1.0 (Win), 1.5 (Linux)

Description: Returns the day of the week from a timestamp argument. The returned name may be localized.

Return type: VARCHAR(15)

Syntax:

```
dow (atimestamp)
```

Declaration:

```
DECLARE EXTERNAL FUNCTION dow
  TIMESTAMP ,
  VARCHAR(15) RETURNS PARAMETER 2
  ENTRY_POINT 'DOW' MODULE_NAME 'fbudf'
```

See also: [sdow](#)

dpower

Library: fbudf

Added in: 1.0 (Win), 1.5 (Linux)

Description: Returns x to the y 'th power.

Return type: DOUBLE PRECISION

Syntax:

```
dpower (x, y)
```

Declaration:

```
DECLARE EXTERNAL FUNCTION dPower
  DOUBLE PRECISION BY DESCRIPTOR, DOUBLE PRECISION BY DESCRIPTOR,
  DOUBLE PRECISION BY DESCRIPTOR
  RETURNS PARAMETER 3
  ENTRY_POINT 'power' MODULE_NAME 'fbudf'
```

getExactTimestamp

Library: fbudf

Added in: 1.0 (Win), 1.5 (Linux)

Description: Returns the system time with milliseconds precision. This function was added because CURRENT_TIMESTAMP – at least in pre-2.0 versions of Firebird – has .0000 in the fractional part of the second.

Return type: TIMESTAMP

Syntax:

```
getexacttimestamp()
```

Declaration:

```
DECLARE EXTERNAL FUNCTION getExactTimestamp
  TIMESTAMP RETURNS PARAMETER 1
  ENTRY_POINT 'getExactTimestamp' MODULE_NAME 'fbudf'
```

i64round

See [round](#).

i64truncate

See [truncate](#).

log

Library: ib_udf

Changed in: 1.5

Description: In Firebird 1.5 and up, `log(x, y)` returns the the base- x logarithm of y . In Firebird 1.0.x and InterBase, it erroneously returns the base- y logarithm of x .

Return type: DOUBLE PRECISION

Syntax (unchanged):

```
log (x, y)
```

Declaration (unchanged):

```
DECLARE EXTERNAL FUNCTION log
DOUBLE PRECISION, DOUBLE PRECISION
RETURNS DOUBLE PRECISION BY VALUE
ENTRY_POINT 'IB_UDF_log' MODULE_NAME 'ib_udf'
```

Warning

If any of your pre-1.5 databases use `log`, check your PSQL and application code. It may contain workarounds to return the right results. Under Firebird 1.5 and up, any such workarounds should be removed or you'll get the wrong results.

lpad

Library: ib_udf

Added in: 1.5

Changed in: 1.5.2

Description: Returns the input string left-padded with `padchars` until `endlength` is reached.

Return type: CHAR(n)

Syntax:

```
lpad (str, endlength, padchar)
```

Declaration:

```
DECLARE EXTERNAL FUNCTION lpad
CSTRING(255), INTEGER, CSTRING(1)
```

```
RETURNS CSTRING(255) FREE_IT
ENTRY_POINT 'IB_UDF_lpad' MODULE_NAME 'ib_udf'
```

Notes

- In Firebird 1.5.1 and below, the default declaration uses CSTRING(80) instead of CSTRING(255).
- Depending on how you declare it (see [CSTRING note](#)), this function can accept and return strings of up to 32767 characters.
- When calling this function, make sure *endlength* does not exceed the declared result length.

ltrim

Library: ib_udf

Changed in: 1.5, 1.5.2

Description: Returns the input string with any leading space characters removed. In Firebird 1.0.x, this function returns NULL if the input string is empty or NULL. In 1.5 and above it returns ' ' (an empty string) in these cases.

Return type: CHAR(*n*)

Syntax (unchanged):

```
ltrim (str)
```

Declaration:

```
DECLARE EXTERNAL FUNCTION ltrim
  CSTRING(255)
  RETURNS CSTRING(255) FREE_IT
  ENTRY_POINT 'IB_UDF_ltrim' MODULE_NAME 'ib_udf'
```

Notes

- In Firebird 1.5.1 and below, the default declaration uses CSTRING(80) instead of CSTRING(255).
- Depending on how you declare it (see [CSTRING note](#)), this function can accept and return strings of up to 32767 characters.

*nullif

Library: fbudf

Added in: 1.0 (Win), 1.5 (Linux)

Better alternative: Internal function [NULLIF\(\)](#)

Description: The four `*nullif` functions – for integers, bigints, doubles and strings, respectively – each return the first argument if it is not equal to the second. If the arguments are equal, the functions return NULL.

Return type: Varies, see declarations.

Syntax:

```
inullif  (int1, int2)
i64nullif (bigint1, bigint2)
dnullif  (double1, double2)
snullif  (string1, string2)
```

As from Firebird 1.5, use of the new internal function `NULLIF` is preferred.

Warnings

- These functions return NULL when the second argument is NULL, even if the first argument is a proper value. This is a wrong result. The NULLIF internal function doesn't have this bug.
- `i64nullif` and `dnullif` will return wrong and/or bizarre results if it is not 100% clear to the engine that each argument is of the intended type (NUMERIC(18,0) or DOUBLE PRECISION). If in doubt, cast them both explicitly to the declared type (see declarations below).

Declarations:

```
DECLARE EXTERNAL FUNCTION inullif
  INT BY DESCRIPTOR, INT BY DESCRIPTOR
  RETURNS INT BY DESCRIPTOR
  ENTRY_POINT 'iNullif' MODULE_NAME 'fbudf'
```

```
DECLARE EXTERNAL FUNCTION i64nullif
  NUMERIC(18,4) BY DESCRIPTOR, NUMERIC(18,4) BY DESCRIPTOR
  RETURNS NUMERIC(18,4) BY DESCRIPTOR
  ENTRY_POINT 'iNullif' MODULE_NAME 'fbudf'
```

```
DECLARE EXTERNAL FUNCTION dnullif
  DOUBLE PRECISION BY DESCRIPTOR, DOUBLE PRECISION BY DESCRIPTOR
  RETURNS DOUBLE PRECISION BY DESCRIPTOR
  ENTRY_POINT 'dNullif' MODULE_NAME 'fbudf'
```

```
DECLARE EXTERNAL FUNCTION snullif
  VARCHAR(100) BY DESCRIPTOR, VARCHAR(100) BY DESCRIPTOR,
  VARCHAR(100) BY DESCRIPTOR RETURNS PARAMETER 3
  ENTRY_POINT 'sNullif' MODULE_NAME 'fbudf'
```

*nvl

Library: fbudf

Added in: 1.0 (Win), 1.5 (Linux)

Better alternative: Internal function `COALESCE()`

Description: The four `nv1` functions – for integers, bigints, doubles and strings, respectively – are NULL replacers. They each return the first argument's value if it is not NULL. If the first argument is NULL, the value of the second argument is returned.

Return type: Varies, see declarations.

Syntax:

```
inv1    (int1, int2)
i64nv1 (bigint1, bigint2)
dnv1    (double1, double2)
snv1    (string1, string2)
```

As from Firebird 1.5, use of the new internal function `COALESCE` is preferred.

Warning

`i64nv1` and `dnv1` will return wrong and/or bizarre results if it is not absolutely clear to the engine that each argument is of the intended type (`NUMERIC(18,0)` or `DOUBLE PRECISION`). If in doubt, cast both arguments explicitly to the declared type (see declarations below).

Declarations:

```
DECLARE EXTERNAL FUNCTION inv1
  INT BY DESCRIPTOR, INT BY DESCRIPTOR
  RETURNS INT BY DESCRIPTOR
  ENTRY_POINT 'idNv1' MODULE_NAME 'fbudf'
```

```
DECLARE EXTERNAL FUNCTION i64nv1
  NUMERIC(18,0) BY DESCRIPTOR, NUMERIC(18,0) BY DESCRIPTOR
  RETURNS NUMERIC(18,0) BY DESCRIPTOR
  ENTRY_POINT 'idNv1' MODULE_NAME 'fbudf'
```

```
DECLARE EXTERNAL FUNCTION dnv1
  DOUBLE PRECISION BY DESCRIPTOR, DOUBLE PRECISION BY DESCRIPTOR
  RETURNS DOUBLE PRECISION BY DESCRIPTOR
  ENTRY_POINT 'idNv1' MODULE_NAME 'fbudf'
```

```
DECLARE EXTERNAL FUNCTION snv1
  VARCHAR(100) BY DESCRIPTOR, VARCHAR(100) BY DESCRIPTOR,
  VARCHAR(100) BY DESCRIPTOR RETURNS PARAMETER 3
  ENTRY_POINT 'sNv1' MODULE_NAME 'fbudf'
```

right

See `sright`.

round, i64round

Library: fbudf

Added in: 1.0 (Win), 1.5 (Linux)

Changed in: 1.5, 1.5.6

Description: These functions return the whole number that is nearest to their (scaled numeric/decimal) argument. They do not work with floats or doubles.

Return type: INTEGER / NUMERIC(18,4)

Syntax:

```
round      (number)
i64round  (bignumber)
```

Caution

Halves are always rounded upward, i.e. away from zero for positive numbers and toward zero for negative numbers. For instance, 3.5 is rounded to 4, but -3.5 is rounded to -3.

Bug alert

In versions 1.0 through 1.5.5, these functions are *broken* for negative numbers:

- Anything between 0 and -0.6 (that's right: -0.6, not -0.5) is rounded to 0.
- Anything between -0.6 and -1 is rounded to +1 (*plus* 1).
- Anything between -1 and -1.6 is rounded to -1.
- Anything between -1.6 and -2 is rounded to -2.
- Etcetera.

Fixed in 1.5.6 (backport from 2.5).

Declarations:

In Firebird 1.0.x, the entry point for both functions is `round`:

```
DECLARE EXTERNAL FUNCTION Round
  INT BY DESCRIPTOR, INT BY DESCRIPTOR
  RETURNS PARAMETER 2
  ENTRY_POINT 'round' MODULE_NAME 'fbudf'
```

```
DECLARE EXTERNAL FUNCTION i64Round
  NUMERIC(18,4) BY DESCRIPTOR, NUMERIC(18,4) BY DESCRIPTOR
  RETURNS PARAMETER 2
  ENTRY_POINT 'round' MODULE_NAME 'fbudf'
```

In Firebird 1.5, the entry point has been renamed to `fbround`:

```
DECLARE EXTERNAL FUNCTION Round
  INT BY DESCRIPTOR, INT BY DESCRIPTOR
  RETURNS PARAMETER 2
  ENTRY_POINT 'fbround' MODULE_NAME 'fbudf'
```

```
DECLARE EXTERNAL FUNCTION i64Round
  NUMERIC(18,4) BY DESCRIPTOR, NUMERIC(18,4) BY DESCRIPTOR
  RETURNS PARAMETER 2
  ENTRY_POINT 'fbround' MODULE_NAME 'fbudf'
```

If you move an existing database from Firebird 1.0.x to 1.5 or higher, drop any existing `*round` and `*truncate` declarations and declare them anew, using the updated entry point names.

rpad

Library: `ib_udf`

Added in: 1.5

Changed in: 1.5.2

Description: Returns the input string right-padded with `padchars` until `endlength` is reached.

Return type: `CHAR(n)`

Syntax:

```
rpad (str, endlength, padchar)
```

Declaration:

```
DECLARE EXTERNAL FUNCTION rpad
  CSTRING(255), INTEGER, CSTRING(1)
RETURNS CSTRING(255) FREE_IT
ENTRY_POINT 'IB_UDF_rpad' MODULE_NAME 'ib_udf'
```

Notes

- In Firebird 1.5.1 and below, the default declaration uses `CSTRING(80)` instead of `CSTRING(255)`.
- Depending on how you declare it (see [CSTRING note](#)), this function can accept and return strings of up to 32767 characters.
- When calling this function, make sure `endlength` does not exceed the declared result length.

rtrim

Library: `ib_udf`

Changed in: 1.5, 1.5.2

Description: Returns the input string with any trailing space characters removed. In Firebird 1.0.x, this function returns `NULL` if the input string is empty or `NULL`. In 1.5 and above it returns `' '` (an empty string) in these cases.

Return type: `CHAR(n)`

Syntax (unchanged):

```
rtrim (str)
```

Declaration:

```
DECLARE EXTERNAL FUNCTION rtrim
  CSTRING(255)
  RETURNS CSTRING(255) FREE_IT
  ENTRY_POINT 'IB_UDF_rtrim' MODULE_NAME 'ib_udf'
```

Notes

- In Firebird 1.5.1 and below, the default declaration uses CSTRING(80) instead of CSTRING(255).
- Depending on how you declare it (see [CSTRING note](#)), this function can accept and return strings of up to 32767 characters.

sdow

Library: fbudf

Added in: 1.0 (Win), 1.5 (Linux)

Description: Returns the abbreviated day of the week from a timestamp argument. The returned abbreviation may be localized.

Return type: VARCHAR(5)

Syntax:

```
sdow (timestamp)
```

Declaration:

```
DECLARE EXTERNAL FUNCTION sdow
  TIMESTAMP,
  VARCHAR(5) RETURNS PARAMETER 2
  ENTRY_POINT 'SDOW' MODULE_NAME 'fbudf'
```

See also: [dow](#)

sright

Library: fbudf

Added in: 1.0 (Win), 1.5 (Linux)

Description: Returns the rightmost *numchars* characters of the input string. Only works with 1-byte character sets.

Return type: VARCHAR(100)

Syntax:

```
sright (str, numchars)
```

Declaration:

```
DECLARE EXTERNAL FUNCTION sright  
  VARCHAR(100) BY DESCRIPTOR, SMALLINT,  
  VARCHAR(100) BY DESCRIPTOR RETURNS PARAMETER 3  
  ENTRY_POINT 'right' MODULE_NAME 'fbudf'
```

string2blob

Library: fbudf

Added in: 1.0 (Win), 1.5 (Linux)

Description: Returns the input string as a BLOB.

Return type: BLOB

Syntax:

```
string2blob (str)
```

Declaration:

```
DECLARE EXTERNAL FUNCTION string2blob  
  VARCHAR(300) BY DESCRIPTOR,  
  BLOB RETURNS PARAMETER 2  
  ENTRY_POINT 'string2blob' MODULE_NAME 'fbudf'
```

substr

Library: ib_udf

Changed in: 1.0, 1.5.2

Description: Returns a string's substring from *startpos* to *endpos*, inclusively. Positions are 1-based. If *endpos* is past the end of the string, Firebird's *substr* returns all the characters from *startpos* to the end of the string. InterBase's *substr* returned NULL in this case.

Return type: CHAR(*n*)

Syntax (unchanged):

```
substr (str, startpos, endpos)
```

Declaration:

```
DECLARE EXTERNAL FUNCTION substr
  CSTRING(255), SMALLINT, SMALLINT
  RETURNS CSTRING(255) FREE_IT
  ENTRY_POINT 'IB_UDF_substr' MODULE_NAME 'ib_udf'
```

Notes

- In Firebird 1.5.1 and below, the default declaration uses CSTRING(80) instead of CSTRING(255).
- Depending on how you declare it (see [CSTRING note](#)), this function can accept and return strings of up to 32767 characters.

Tip

Although the function arguments are slightly different, consider using the internal SQL function [SUBSTRING](#) instead, for better compatibility.

substrlen

Library: ib_udf

Added in: 1.0

Changed in: 1.5.2

Better alternative: Internal function [SUBSTRING\(\)](#)

Description: Returns the substring starting at *startpos* and having *length* characters (or less, if the end of the string is reached first). Positions are 1-based. If either *startpos* or *length* is smaller than 1, an empty string is returned.

Return type: CHAR(*n*)

Syntax:

```
substrlen (str, startpos, length)
```

Declaration:

```
DECLARE EXTERNAL FUNCTION substrlen
  CSTRING(255), SMALLINT, SMALLINT
  RETURNS CSTRING(255) FREE_IT
  ENTRY_POINT 'IB_UDF_substrlen' MODULE_NAME 'ib_udf'
```

Notes

- In Firebird 1.5.1 and below, the default declaration uses CSTRING(80) instead of CSTRING(255).
- Depending on how you declare it (see [CSTRING note](#)), this function can accept and return strings of up to 32767 characters.

Tip

Firebird 1.0 has also implemented the internal SQL function `SUBSTRING`, effectively rendering `substrlen` obsolete in the same version in which it was introduced. In new code, use `SUBSTRING`.

truncate, i64truncate

Library: fbudf

Added in: 1.0 (Win), 1.5 (Linux)

Changed in: 1.5, 1.5.6

Description: These functions return the whole-number portion of their (scaled numeric/decimal) argument. They do not work with floats or doubles.

Return type: INTEGER / NUMERIC(18)

Syntax:

```
truncate      (number)
i64truncate  (bignumber)
```

Caution

Both functions round to the nearest whole number that is lower than or equal to the argument. This means that negative numbers are also “truncated” downward. For instance, `truncate(-2.37)` returns `-3`.

Bug alert

Contrary to what's mentioned above, in versions 1.0 through 1.5.5 anything between `-1` and `0` is truncated to `0`. This anomaly has been corrected in Firebird 1.5.6 and above (as a backport from 2.5).

Declarations:

In Firebird 1.0.x, the entry point for both functions is `truncate`:

```
DECLARE EXTERNAL FUNCTION Truncate
  INT BY DESCRIPTOR, INT BY DESCRIPTOR
  RETURNS PARAMETER 2
  ENTRY_POINT 'truncate' MODULE_NAME 'fbudf'
```

```
DECLARE EXTERNAL FUNCTION i64Truncate
  NUMERIC(18) BY DESCRIPTOR, NUMERIC(18) BY DESCRIPTOR
  RETURNS PARAMETER 2
  ENTRY_POINT 'truncate' MODULE_NAME 'fbudf'
```

In Firebird 1.5, the entry point has been renamed to `fbtruncate`:

```
DECLARE EXTERNAL FUNCTION Truncate
  INT BY DESCRIPTOR, INT BY DESCRIPTOR
```

```
RETURNS PARAMETER 2  
ENTRY_POINT 'fbtruncate' MODULE_NAME 'fbudf'
```

```
DECLARE EXTERNAL FUNCTION i64Truncate  
  NUMERIC(18) BY DESCRIPTOR, NUMERIC(18) BY DESCRIPTOR  
  RETURNS PARAMETER 2  
  ENTRY_POINT 'fbtruncate' MODULE_NAME 'fbudf'
```

If you move an existing database from Firebird 1.0.x to 1.5 or higher, drop any existing `*round` and `*truncate` declarations and declare them anew, using the updated entry point names.

Appendix A: Notes

Character set NONE data accepted “as is”

In Firebird 1.5.1 and up

Firebird 1.5.1 has improved the way character set NONE data are moved to and from fields or variables with another character set, resulting in fewer transliteration errors.

In Firebird 1.5.0, from a client connected with character set NONE, you could read data in two incompatible character sets – such as SJIS (Japanese) and WIN1251 (Russian) – even though you could not read one of those character sets while connected from a client with the other character set. Data would be received “as is” and be stored without raising an exception.

However, from this character set NONE client connection, an attempt to update any Russian or Japanese data columns using either parameterized queries or literal strings without introducer syntax would fail with transliteration errors; and subsequent queries on the stored “NONE” data would similarly fail.

In Firebird 1.5.1, both problems have been circumvented. Data received from the client in character set NONE are still stored “as is” but what is stored is an exact, binary copy of the received string. In the reverse case, when stored data are read into this client from columns with specific character sets, there will be no transliteration error. When the connection character set is NONE, no attempt is made in either case to resolve the string to well-formed characters, so neither the write nor the read will throw a transliteration error.

This opens the possibility for working with data from multiple character sets in a single database, as long as the connection character set is NONE. The client has full responsibility for submitting strings in the appropriate character set and converting strings returned by the engine, as needed.

Abstraction layers that have to manage this can read the low byte of the *sqlsubtype* field in the XSQLVAR structure, which contains the character set identifier.

While character set NONE literals are accepted and implicitly stored in the character set of their context, the use of introducer syntax to coerce the character sets of literals is highly recommended when the application is handling literals in a mixture of character sets. This should avoid the string's being misinterpreted when the application shifts the context for literal usage to a different character set.

Note

Coercion of the character set, using the introducer syntax or casting, is still required when handling heterogeneous character sets from a client context that is anything other than NONE. Both methods are shown below, using character set ISO8859_1 as an example target. Notice the “_” prefix in the introducer syntax.

Introducer syntax:

```
_ISO8859_1 mystring
```

Casting:

```
CAST (mystring AS VARCHAR(n) CHARACTER SET ISO8859_1)
```

Understanding the WITH LOCK clause

This note looks a little deeper into explicit locking and its ramifications. The WITH LOCK feature, added in Firebird 1.5, provides a limited explicit pessimistic locking capability for cautious use in conditions where the affected row set is:

- a. extremely small (ideally, a singleton), *and*
- b. precisely controlled by the application code.

Pessimistic locks are rarely needed in Firebird. This is an expert feature, intended for use by those who thoroughly understand its consequences. Knowledge of the various levels of transaction isolation is essential. WITH LOCK is available in DSQL and PSQL, and only for top-level, single-table SELECTs. As stated in the reference part of this guide, WITH LOCK is *not* available:

- in a subquery specification;
- for joined sets;
- with the DISTINCT operator, a GROUP BY clause or any other aggregating operation;
- with a view;
- with the output of a selectable stored procedure;
- with an external table.

Syntax and behaviour

```
SELECT ... FROM single_table
  [WHERE ...]
  [FOR UPDATE [OF ...]]
  [WITH LOCK]
```

If the WITH LOCK clause succeeds, it will secure a lock on the selected rows and prevent any other transaction from obtaining write access to any of those rows, or their dependants, until your transaction ends.

If the FOR UPDATE clause is included, the lock will be applied to each row, one by one, as it is fetched into the server-side row cache. It becomes possible, then, that a lock which appeared to succeed when requested will nevertheless *fail subsequently*, when an attempt is made to fetch a row which becomes locked by another transaction.

As the engine considers, in turn, each record falling under an explicit lock statement, it returns either the record version that is the most currently committed, regardless of database state when the statement was submitted, or an exception.

Wait behaviour and conflict reporting depend on the transaction parameters specified in the TPB block:

Table A.1. How TPB settings affect explicit locking

TPB mode	Behaviour
isc_tpb_consistency	Explicit locks are overridden by implicit or explicit table-level locks and are ignored.
isc_tpb_concurrency + isc_tpb_nowait	If a record is modified by any transaction that was committed since the transaction attempting to get explicit lock started, or an active transaction has performed a modification of this record, an update conflict exception is raised immediately.
isc_tpb_concurrency + isc_tpb_wait	If the record is modified by any transaction that has committed since the transaction attempting to get explicit lock started, an update conflict exception is raised immediately. If an active transaction is holding ownership on this record (via explicit locking or by a normal optimistic write-lock) the transaction attempting the explicit lock waits for the outcome of the blocking transaction and, when it finishes, attempts to get the lock on the record again. This means that, if the blocking transaction committed a modified version of this record, an update conflict exception will be raised.
isc_tpb_read_committed + isc_tpb_nowait	If there is an active transaction holding ownership on this record (via explicit locking or normal update), an update conflict exception is raised immediately.
isc_tpb_read_committed + isc_tpb_wait	If there is an active transaction holding ownership on this record (via explicit locking or by a normal optimistic write-lock), the transaction attempting the explicit lock waits for the outcome of blocking transaction and when it finishes, attempts to get the lock on the record again. Update conflict exceptions can never be raised by an explicit lock statement in this TPB mode.

How the engine deals with WITH LOCK

When an UPDATE statement tries to access a record that is locked by another transaction, it either raises an update conflict exception or waits for the locking transaction to finish, depending on TPB mode. Engine behaviour here is the same as if this record had already been modified by the locking transaction.

No special gdscores are returned from conflicts involving pessimistic locks.

The engine guarantees that all records returned by an explicit lock statement are actually locked and *do* meet the search conditions specified in WHERE clause, as long as the search conditions do not depend on any other tables, via joins, subqueries, etc. It also guarantees that rows not meeting the search conditions will not be locked by the statement. It can *not* guarantee that there are no rows which, though meeting the search conditions, are not locked.

Note

This situation can arise if other, parallel transactions commit their changes during the course of the locking statement's execution.

The engine locks rows at fetch time. This has important consequences if you lock several rows at once. Many access methods for Firebird databases default to fetching output in packets of a few hundred rows (“buffered fetches”). Most data access components cannot bring you the rows contained in the last-fetched packet, where an error occurred.

The optional “OF <column-names>” sub-clause

The FOR UPDATE clause provides a technique to prevent usage of buffered fetches, optionally with the “OF <column-names>” subclause to enable positioned updates.

Tip

Alternatively, it may be possible in your access components to set the size of the fetch buffer to 1. This would enable you to process the currently-locked row before the next is fetched and locked, or to handle errors without rolling back your transaction.

Caveats using WITH LOCK

- Rolling back of an implicit or explicit savepoint releases record locks that were taken under that savepoint, but it doesn't notify waiting transactions. Applications should not depend on this behaviour as it may get changed in the future.
- While explicit locks can be used to prevent and/or handle unusual update conflict errors, the volume of deadlock errors will grow unless you design your locking strategy carefully and control it rigorously.
- Most applications do not need explicit locks at all. The main purposes of explicit locks are (1) to prevent expensive handling of update conflict errors in heavily loaded applications and (2) to maintain integrity of objects mapped to a relational database in a clustered environment. If your use of explicit locking doesn't fall in one of these two categories, then it's the wrong way to do the task in Firebird.
- Explicit locking is an advanced feature; do not misuse it! While solutions for these kinds of problems may be very important for web sites handling thousands of concurrent writers, or for ERP/CRM systems operating in large corporations, most application programs do not need to work in such conditions.

Examples using explicit locking

- i. Simple:

```
SELECT * FROM DOCUMENT WHERE ID=? WITH LOCK
```

- ii. Multiple rows, one-by-one processing with DSQL cursor:

```
SELECT * FROM DOCUMENT WHERE PARENT_ID=?  
FOR UPDATE WITH LOCK
```

A note on CSTRING parameters

External functions involving strings often use the type `CSTRING(n)` in their declarations. This type represents a zero-terminated string of maximum length *n*. Most of the functions handling CSTRINGs are programmed in such a way that they can accept and return zero-terminated strings of any length. So why the *n*? Because the Firebird engine has to set up space to process the input and output parameters, and convert them to and from SQL data types. Most strings used in databases are only dozens to hundreds of bytes long; it would be a waste to reserve 32 KB of memory each time such a string is processed. Therefore, the *standard* declarations of most CSTRING functions – as found in the file `ib_udf.sql` – specify a length of 255 bytes. (In Firebird 1.5.1 and below, this default length is 80 bytes.) As an example, here's the SQL declaration of `lpad`:

```
DECLARE EXTERNAL FUNCTION lpad
  CSTRING(255), INTEGER, CSTRING(1)
  RETURNS CSTRING(255) FREE_IT
  ENTRY_POINT 'IB_UDF_lpad' MODULE_NAME 'ib_udf'
```

Once you've declared a CSTRING parameter with a certain length, you cannot call the function with a longer input string, or cause it to return a string longer than the declared output length. But the standard declarations are just reasonable defaults; they're not cast in concrete, and you can change them if you want to. If you have to left-pad strings of up to 500 bytes long, then it's perfectly OK to change both 255's in the declaration to 500 or more.

A special case is when you usually operate on short strings (say less than 100 bytes) but occasionally have to call the function with a huge (VAR)CHAR argument. Declaring `CSTRING(32000)` makes sure that all the calls will be successful, but it will also cause 32000 bytes per parameter to be reserved, even in that majority of cases where the strings are under 100 bytes. In that situation you may consider declaring the function twice, with different names and different string lengths:

```
DECLARE EXTERNAL FUNCTION lpad
  CSTRING(100), INTEGER, CSTRING(1)
  RETURNS CSTRING(100) FREE_IT
  ENTRY_POINT 'IB_UDF_lpad' MODULE_NAME 'ib_udf';

DECLARE EXTERNAL FUNCTION lpadbig
  CSTRING(32000), INTEGER, CSTRING(1)
  RETURNS CSTRING(32000) FREE_IT
  ENTRY_POINT 'IB_UDF_lpad' MODULE_NAME 'ib_udf';
```

Now you can call `lpad()` for all the small strings and `lpadbig()` for the occasional monster. Notice how the declared names in the first line differ (they determine how you call the functions from within your SQL), but the entry point (the function name in the library) is the same in both cases.

Appendix B: Document History

The exact file history is recorded in the `manual` module in our CVS tree; see http://sourceforge.net/cvs/?group_id=9028

Revision History

1.0	4 Jul 2008	PV	First publication, using 15–20% material from the Firebird Release Notes.
1.1	8 Dec 2010	PV	<p>GLOBAL: Renamed all “Deprecated in” section headers to “Better alternative”. This also required editing the text immediately following the header and in some cases additional text in the section (if the “deprecation” was discussed in the section body).</p> <p><i>Bookinfo</i>: Added 1.5.6 to covered versions.</p> <p><i>Introduction :: Versions covered</i>: Added 1.5.6.</p> <p><i>Introduction :: Authorship</i>: Edited first paragraph. Added Frank Ingermann to contributor list.</p> <p><i>Reserved words :: Added in 1.0 and 1.5</i>: Put 2nd list in alphabetical order.</p> <p><i>Reserved words :: To be added in future versions</i>: Put list in alphabetical order.</p> <p><i>Miscellaneous language elements :: -- (single-line comment)</i>: Brought last para within blockquote.</p> <p><i>Miscellaneous language elements</i>: Added sections <i>// (string concatenator)</i> and <i>Shorthand casts</i>.</p> <p><i>DDL statements</i>: Added section <i>ALTER DOMAIN</i>.</p> <p><i>DDL statements :: ALTER TABLE</i>: Added section <i>ADD column: Context variables as defaults</i>.</p> <p><i>DDL statements :: ALTER TABLE</i>: Added section <i>FOREIGN KEY without target column references PK</i>.</p> <p><i>DDL statements</i>: Added section <i>CREATE DOMAIN</i>.</p> <p><i>DDL statements :: CREATE TABLE</i>: Added section <i>Context variables as column defaults</i>.</p> <p><i>DDL statements :: CREATE TABLE</i>: Added section <i>FOREIGN KEY without target column references PK</i>.</p> <p><i>DML statements</i>: Moved sections <i>RELEASE SAVEPOINT</i>, <i>ROLLBACK TO SAVEPOINT</i> and <i>SAVEPOINT</i> into new chapter <i>Transaction control statements</i>.</p> <p><i>DML statements :: SELECT :: Aggregate functions: Extended functionality :: Aggregate statements: Stricter HAVING and ORDER BY</i>: Edited second listitem. Commented out third listitem as it needs research. Edited last paragraph.</p> <p><i>DML statements :: SELECT :: FIRST and SKIP</i>: Edited Description.</p> <p><i>DML statements :: SELECT :: GROUP BY internal function, column position, and CASE</i>: Added 3rd listitem to Important box. Edited the paras between the examples.</p> <p><i>Transaction control statements</i>: new chapter.</p>

PSQL statements :: DECLARE [VARIABLE] with initialization: Indented var declarations in Example.

PSQL statements :: EXECUTE STATEMENT :: Caveats with EXECUTE STATEMENT: Changed SQL -> DSQL in item 4. Rewrote item 6.

PSQL statements: Added section *FOR SELECT ... INTO ... DO*.

Context variables :: CURRENT_CONNECTION: Improved Description. Added note about upcoming change in 2.1 to last paragraph.

Context variables :: CURRENT_TRANSACTION: Improved Description.

Context variables :: ROW_COUNT: Edited Description. Edited second Note.

External functions :: getExactTimestamp: Edited Description.

External functions :: log: Changed `log` -> `log(x,y)` in Description.

External functions :: right: moved to *sright* and left a symlink in place.

External functions :: round, i64round: Added 1.5.6 to Changed in. Added Caution box. Edited and extended Bug warning box.

External functions :: strlen: Added "Better alternative" formal-para.

External functions :: truncate, i64truncate: Added 1.5.6 to Changed in. Added Caution box. Edited Warning box.

Notes :: Understanding the WITH LOCK clause :: Syntax and behaviour: In table, aligned 1st column left, all rows top, and added periods to sentences in first two rows.

License notice: Added Frank Ingermann as contributor. Copyright end year now 2010.

Appendix C: License notice

The contents of this Documentation are subject to the Public Documentation License Version 1.0 (the “License”); you may only use this Documentation if you comply with the terms of this License. Copies of the License are available at <http://www.firebirdsql.org/pdfmanual/pdl.pdf> (PDF) and <http://www.firebirdsql.org/manual/pdl.html> (HTML).

The Original Documentation is titled *Firebird 1.5 Language Reference Update*.

The Initial Writers of the Original Documentation are: Paul Vinkenoog et al.

Copyright (C) 2008–2010. All Rights Reserved. Initial Writers contact: paul at vinkenoog dot nl.

Writers and Editors of included PDL-licensed material (the “al.”) are: J. Beesley, Helen Borrie, Arno Brinkman, Frank Ingermann, Alex Peshkov, Nickolay Samofatov, Dmitry Yemanov.

Included portions are Copyright (C) 2001-2007 by their respective authors. All Rights Reserved.